

TYPES OF PATIENTS (Survey Page 4)

In the **TYPES OF PATIENTS** section of the Survey of Chiropractic Practice, participants were asked to categorize their **patients** according to **gender, age, ethnic origin, and occupation.**

The 4,775 responses received nationwide indicated that a typical patient may be profiled as a Caucasian woman, 31-50 years of age. Overall, patients cover a wide range of occupations, with no occupational group having a majority.

State-by-state comparisons of responses appear **by percent** in the tables on pages 17-20.

STATE	GENDER (BY PERCENT)		Number Reporting
	Male	Female	
Alabama	40.0	60.0	104
Alaska	37.7	62.3	51
Arizona	38.6	61.4	103
Arkansas	39.4	60.6	91
California	42.9	57.1	229
Colorado	38.1	61.9	112
Connecticut	42.4	57.6	106
Delaware	41.4	58.6	33
D.C.	43.8	56.2	8
Florida	38.8	61.2	145
Georgia	38.0	62.0	86
Hawaii	44.4	55.6	71
Idaho	39.5	60.5	90
Illinois	41.3	58.7	112
Indiana	39.8	60.2	112
Iowa	40.5	59.5	71
Kansas	40.9	59.1	98
Kentucky	38.3	61.7	85
Louisiana	41.2	58.8	91
Maine	40.8	59.2	61
Maryland	41.4	58.6	92
Massachusetts	41.3	58.7	129
Michigan	40.8	59.2	114
Minnesota	40.4	59.6	125
Mississippi	40.2	59.8	73
Missouri	39.9	60.1	104
Montana	38.5	61.5	77
Nebraska	40.0	60.0	102
Nevada	38.5	61.5	82
New Hampshire	38.6	61.4	78
New Jersey	42.2	57.8	121
New Mexico	39.0	61.0	92
New York	42.6	57.4	144
North Carolina	38.8	61.2	116
North Dakota	40.5	59.5	80
Ohio	40.6	59.4	121
Oklahoma	37.6	62.4	76
Oregon	37.6	62.4	106
Pennsylvania	40.8	59.2	102
Rhode Island	43.9	56.1	50
South Carolina	39.4	60.6	89
South Dakota	41.2	58.8	95
Tennessee	39.7	60.3	119
Texas	40.0	60.0	104
Utah	38.2	61.8	73
Vermont	44.8	55.2	42
Virginia	39.4	60.6	113
Washington	37.7	62.3	116
West Virginia	43.4	56.6	66
Wisconsin	40.9	59.1	121
Wyoming	39.0	61.0	44
NAT'L (%)	40.2	59.8	UNWEIGHTED
AVG	40.7	59.3	WEIGHTED

TYPES OF PATIENTS - Survey Page 4

STATE	PATIENT AGE (BY PERCENT)					Number Reporting
	17 or younger	18 to 30	31 to 50	51 to 64	65 or older	
Alabama	9.3	17.1	38.5	23.0	12.1	104
Alaska	11.0	23.9	41.5	14.5	9.1	51
Arizona	10.8	20.4	34.7	20.1	14.0	103
Arkansas	9.2	17.7	35.9	23.0	14.2	91
California	10.5	21.2	39.3	17.5	11.5	229
Colorado	10.0	21.8	38.7	18.5	11.1	112
Connecticut	9.4	20.7	37.2	20.9	11.7	106
Delaware	8.7	18.2	35.2	21.5	16.4	33
D.C.	8.4	18.9	42.0	18.9	11.9	8
Florida	8.7	17.0	33.2	22.1	19.0	145
Georgia	11.7	20.0	41.4	17.4	9.5	86
Hawaii	9.5	22.5	42.0	16.1	9.9	71
Idaho	10.1	17.9	36.0	22.2	13.8	90
Illinois	9.0	18.3	37.9	21.0	13.8	112
Indiana	8.9	16.7	36.9	23.9	13.5	112
Iowa	10.1	16.9	29.6	25.3	18.1	71
Kansas	10.2	18.4	34.8	21.1	15.5	98
Kentucky	9.5	17.6	37.2	22.6	13.0	85
Louisiana	9.2	18.1	38.8	21.6	12.4	91
Maine	9.5	19.5	35.8	23.1	12.0	61
Maryland	9.4	18.3	35.9	21.8	14.7	92
Massachusetts	8.9	23.2	38.4	18.7	10.8	129
Michigan	10.4	16.8	34.3	24.1	14.3	114
Minnesota	9.9	20.9	35.8	20.9	12.5	125
Mississippi	10.2	18.1	39.1	20.9	11.7	73
Missouri	9.2	17.2	36.2	22.5	14.9	104
Montana	9.7	17.4	36.6	23.6	12.8	77
Nebraska	9.6	17.9	30.6	25.3	16.5	102
Nevada	10.1	20.1	37.3	20.6	11.8	82
New Hampshire	9.5	19.2	37.5	20.4	13.3	78
New Jersey	9.7	19.0	37.1	21.0	13.3	121
New Mexico	10.3	16.9	37.6	21.6	13.6	92
New York	9.1	18.9	36.3	22.6	13.1	144
North Carolina	9.8	17.3	38.2	23.1	11.6	116
North Dakota	10.9	18.1	31.6	23.4	15.9	80
Ohio	9.7	19.1	34.5	22.8	13.9	121
Oklahoma	10.3	18.4	36.1	22.3	13.0	76
Oregon	9.6	20.0	36.0	21.7	12.7	106
Pennsylvania	9.8	18.4	35.3	23.4	13.2	102
Rhode Island	9.4	19.7	39.5	21.8	9.7	50
South Carolina	9.4	18.2	39.8	20.6	12.0	89
South Dakota	9.3	17.5	34.0	23.6	15.5	95
Tennessee	9.2	18.7	37.7	22.9	11.6	119
Texas	9.3	19.8	37.7	20.7	12.4	104
Utah	8.5	21.1	38.6	19.8	11.9	73
Vermont	12.0	19.3	35.2	19.3	14.1	42
Virginia	9.8	19.1	39.9	20.1	11.2	113
Washington	9.7	20.2	36.6	20.1	13.4	116
West Virginia	9.4	17.3	38.8	23.0	11.5	66
Wisconsin	9.6	17.6	33.5	24.2	15.2	121
Wyoming	9.5	17.5	33.8	24.7	14.5	44
NATIONAL AVERAGES (%)	9.7	18.9	36.7	21.5	13.2	UNWEIGHTED
	9.7	19.1	36.7	21.2	13.3	WEIGHTED

TYPES OF PATIENTS - Survey Page 4

STATE	ETHNIC ORIGIN (BY PERCENT)									Number Reporting
	American Indian	Alaskan Native	Asian	Pacific Islander	Filipino	Hispanic	Black	White	Other	
Alabama	3.5	0	3.3	.9	.6	4.3	15.1	71.0	1.3	104
Alaska	4.3	10.3	7.2	3.3	5.9	6.3	7.2	54.4	1.0	51
Arizona	7.1	.3	4.7	1.9	2.1	17.2	7.9	58.2	.7	103
Arkansas	2.8	.1	3.5	.8	1.2	4.3	11.3	74.6	1.3	91
California	3.0	.2	9.3	2.9	5.4	15.8	9.6	53.1	.7	229
Colorado	4.2	.3	6.6	1.5	1.6	15.5	9.2	60.7	.4	112
Connecticut	2.1	.1	4.9	.8	1.3	12.5	13.4	64.6	.3	106
Delaware	1.8	0	5.4	.4	1.1	6.8	14.9	69.2	.4	33
D.C.	3.4	0	8.0	1.1	5.7	11.4	24.6	44.5	1.1	8
Florida	2.2	.3	3.6	.8	2.1	11.8	14.4	63.3	1.5	145
Georgia	2.5	.5	4.7	1.1	1.2	6.2	25.4	57.4	.9	86
Hawaii	1.4	1.4	25.5	17.0	17.6	5.1	7.2	23.9	.8	71
Idaho	5.8	.5	4.9	2.3	1.8	9.8	4.2	70.4	.2	90
Illinois	.8	0	4.5	.8	1.7	8.0	10.3	73.4	.5	112
Indiana	1.9	.1	4.1	.9	1.7	5.8	10.8	73.3	1.4	112
Iowa	2.6	.2	3.3	.9	.5	4.0	6.0	82.3	.2	71
Kansas	3.1	.4	3.2	.6	.5	8.8	10.6	72.1	.8	98
Kentucky	1.0	.1	3.0	.6	.7	2.8	12.2	79.2	.3	85
Louisiana	1.7	.4	4.1	.4	.5	6.7	20.8	64.1	1.3	91
Maine	5.1	.6	2.4	.2	.2	3.0	5.2	82.6	.6	61
Maryland	1.9	.0	6.5	.8	2.9	7.6	17.2	62.5	.6	92
Massachusetts	1.2	.2	6.2	.5	1.1	12.2	10.8	65.2	2.6	129
Michigan	4.2	.1	4.1	.8	2.0	7.1	9.6	71.4	.7	114
Minnesota	4.4	.2	4.7	.9	1.4	5.0	7.9	74.1	1.4	125
Mississippi	2.5	.2	3.2	.7	.8	3.7	21.1	66.4	1.3	73
Missouri	2.2	.0	4.4	.7	.9	5.0	11.2	74.9	.7	104
Montana	9.3	.9	3.5	.8	.8	5.5	3.5	75.5	.3	77
Nebraska	3.6	.2	3.6	.5	.9	7.4	7.4	76.3	.1	102
Nevada	5.2	.7	6.8	2.7	5.7	12.5	10.1	54.7	1.6	82
New Hampshire	1.6	.2	4.4	.9	.6	4.8	7.4	78.9	1.2	78
New Jersey	.6	.1	6.1	1.4	2.4	11.8	12.8	63.7	1.1	121
New Mexico	9.1	.5	3.5	.7	1.8	33.6	7.9	41.8	1.1	92
New York	2.1	.0	5.1	.8	2.7	11.7	13.2	63.1	1.3	144
North Carolina	2.8	.1	3.4	.2	.7	4.7	22.0	65.4	.6	116
North Dakota	7.8	.2	2.9	.5	.6	3.4	4.0	80.7	0	80
Ohio	1.9	0	3.5	.5	.7	4.4	11.4	77.1	.6	121
Oklahoma	10.0	.1	4.2	.3	1.6	8.3	11.2	62.8	1.5	76
Oregon	4.6	.9	6.0	2.4	2.1	8.1	6.2	69.4	.3	106
Pennsylvania	1.6	0	4.1	.4	.6	5.3	9.5	78.4	.1	102
Rhode Island	1.8	.2	4.8	.2	2.1	1.0	11.8	69.1	0	50
South Carolina	2.1	0	3.6	.5	1.6	5.2	26.7	58.6	1.6	89
South Dakota	7.9	.1	2.3	.5	.8	2.5	4.5	78.8	2.7	95
Tennessee	2.5	.1	5.1	.8	.9	4.4	13.7	72.1	.5	119
Texas	1.5	.1	4.1	.9	1.5	21.8	11.9	56.2	2.1	104
Utah	5.9	.6	5.8	3.8	1.5	11.1	5.0	65.8	.6	73
Vermont	2.7	.3	4.5	.9	.9	3.6	7.5	79.5	0	42
Virginia	3.1	.1	7.6	1.2	3.2	7.7	17.3	58.8	.9	113
Washington	5.9	2.1	7.3	2.8	4.4	8.1	7.8	60.7	.8	116
West Virginia	1.5	.2	3.2	0	.4	3.0	9.6	81.9	.2	66
Wisconsin	6.3	.4	4.0	.6	1.2	6.1	6.1	75.3	.1	121
Wyoming	6.2	.3	3.5	.8	1.1	8.8	4.3	74.8	.3	44
NATIONAL AVERAGES (%)	3.5	.4	5.1	1.3	2.0	8.7	11.1	67.0	.9	UNWEIGHTED
	3.0	.3	5.6	1.4	2.4	10.3	11.3	65.0	.9	WEIGHTED

TYPES OF PATIENTS - Survey Page 4

STATE	PATIENT OCCUPATION (BY PERCENT)								Number Reporting
	Executive/ Prof.	White Collar/ Secretarial	Pro/Amateur Athlete	Tradesman/ Skilled Labor	Unskilled	Homemaker	Student	Retired or Other	
Alabama	11.5	16.1	7.1	19.8	12.5	14.6	7.2	11.3	104
Alaska	11.5	16.5	7.0	22.0	13.5	14.2	7.6	7.6	51
Arizona	10.8	17.4	7.1	17.4	12.4	13.8	7.3	13.8	103
Arkansas	10.3	15.3	6.7	19.3	13.1	13.4	8.2	13.7	91
California	13.9	18.0	8.1	18.3	10.5	13.0	7.5	10.7	229
Colorado	12.7	19.5	7.8	17.4	11.0	15.1	7.3	9.4	112
Connecticut	13.2	17.9	7.8	18.6	10.1	14.6	7.6	10.2	106
Delaware	15.2	18.4	6.4	15.9	11.8	12.7	6.8	12.7	33
D.C.	27.1	23.7	7.8	8.6	6.1	8.6	10.3	7.8	8
Florida	12.2	16.6	6.8	18.2	9.9	12.8	7.2	16.2	145
Georgia	12.6	19.4	8.0	19.9	11.4	12.0	7.6	9.2	86
Hawaii	11.4	15.9	7.9	21.1	15.8	12.1	7.6	8.2	71
Idaho	9.3	14.7	7.5	20.3	13.5	15.4	7.5	11.9	90
Illinois	13.3	16.6	7.8	18.4	12.5	13.2	7.3	11.0	112
Indiana	9.8	15.5	7.3	20.8	14.7	14.0	7.0	11.0	112
Iowa	8.1	13.6	6.3	19.4	13.6	15.5	8.4	15.1	71
Kansas	10.1	14.3	7.9	20.6	12.2	13.5	7.5	13.8	98
Kentucky	9.7	15.3	7.1	20.9	14.8	13.4	6.7	12.0	85
Louisiana	9.4	16.1	7.5	21.1	11.5	15.4	8.1	10.9	91
Maine	9.8	16.5	7.3	20.6	13.1	14.7	7.0	11.1	61
Maryland	13.3	18.0	7.5	16.8	12.0	14.5	6.9	10.9	92
Massachusetts	14.8	17.2	7.1	18.6	12.6	12.9	7.9	8.9	129
Michigan	10.8	14.3	6.6	19.3	12.2	15.1	8.1	13.6	114
Minnesota	10.0	16.3	6.8	18.7	13.2	15.1	8.4	11.4	125
Mississippi	8.6	15.3	6.6	22.8	15.1	13.5	7.3	10.9	73
Missouri	10.1	16.5	6.8	19.6	11.8	14.3	7.1	13.8	104
Montana	9.3	15.3	6.4	20.2	14.0	14.5	7.8	12.4	77
Nebraska	9.8	14.6	6.1	19.0	13.1	14.7	8.0	14.6	102
Nevada	10.8	16.4	8.0	21.5	13.7	12.8	7.3	9.4	82
New Hampshire	12.1	17.6	6.8	20.1	11.3	14.1	7.6	10.4	78
New Jersey	14.0	17.1	8.4	18.0	9.3	15.0	7.4	10.8	121
New Mexico	11.7	17.5	7.5	17.5	12.8	13.5	7.9	11.6	92
New York	13.9	17.4	8.2	18.0	11.3	12.8	8.1	10.2	144
North Carolina	10.6	15.7	6.8	22.1	14.1	13.3	7.0	10.5	116
North Dakota	8.6	13.7	7.0	21.1	14.6	15.4	7.6	13.1	80
Ohio	9.5	13.9	6.8	20.3	16.3	14.2	7.5	11.5	121
Oklahoma	8.8	14.3	7.8	21.1	11.7	16.4	7.8	12.1	76
Oregon	11.6	16.1	8.3	19.1	12.3	12.7	7.6	12.3	106
Pennsylvania	10.9	15.6	6.6	18.5	12.5	14.6	8.2	13.0	102
Rhode Island	12.4	16.4	8.1	20.9	11.2	14.2	7.3	9.4	50
South Carolina	9.8	16.8	7.4	21.7	14.0	12.4	7.6	10.5	89
South Dakota	8.7	12.5	7.4	18.3	16.8	14.7	8.0	13.5	95
Tennessee	11.6	17.6	6.1	20.0	12.2	14.8	7.5	10.2	119
Texas	11.2	16.2	7.4	21.9	12.1	12.8	7.7	10.7	104
Utah	9.9	15.1	7.1	19.8	12.2	16.9	7.5	11.5	73
Vermont	13.1	15.1	7.2	19.3	13.6	12.8	7.5	11.4	42
Virginia	14.5	18.9	8.2	17.1	11.3	13.4	7.5	9.1	113
Washington	10.3	15.7	6.0	21.3	12.5	14.3	7.8	12.1	116
West Virginia	8.9	14.5	6.2	23.0	16.3	14.1	7.5	9.5	66
Wisconsin	9.4	13.2	6.6	19.8	16.3	13.4	7.6	13.5	121
Wyoming	9.4	13.9	6.8	21.0	12.0	16.6	8.7	11.7	44
NAT'L AVG (%)	11.3	16.2	7.2	19.5	12.7	14.0	7.6	11.5	UNWEIGHTED
	11.9	16.5	7.4	19.1	12.0	13.8	7.6	11.7	WEIGHTED

TYPES OF CONDITIONS (Survey Pages 5-8)

In the **TYPES OF CONDITIONS** section of the Survey of Chiropractic Practice, participants were asked to consider their practices during the past two years, and indicate how often they had seen patients with the presenting or concurrent conditions listed. A zero-to-four rating scale was used for questions on Pages 5-8 of the Survey:

- 0 = Never
- 1 = Rarely (1-2/year)
- 2 = Sometimes (1-2 /month)
- 3 = Often (1-2/week)
- 4 = Routinely (Daily)

A state-by-state comparison of responses appears in the tables on pages 21-41.

STATE	ARTICULAR/JOINT			
	spinal subluxation/joint dysfunction	extremity subluxation/joint dysfunction	sprain or dislocation of any joint	vertebral facet syndrome
Alabama	3.87	2.78	3.01	3.22
Alaska	3.98	3.48	3.25	3.23
Arizona	3.95	3.12	2.94	2.95
Arkansas	3.93	2.82	2.97	3.11
California	3.83	2.90	3.09	2.95
Colorado	4.00	3.34	3.17	3.14
Connecticut	3.87	2.99	3.19	3.27
Delaware	4.00	3.06	3.03	3.18
D.C.	4.00	2.50	2.25	3.25
Florida	3.95	2.76	3.14	3.08
Georgia	3.94	2.64	2.84	2.86
Hawaii	3.90	3.13	3.03	3.11
Idaho	3.97	3.10	2.97	3.09
Illinois	3.95	3.09	3.07	3.13
Indiana	3.96	3.10	2.90	3.14
Iowa	3.96	3.51	3.11	3.14
Kansas	3.92	3.07	3.00	3.03
Kentucky	3.93	2.80	2.67	3.02
Louisiana	3.92	2.71	2.58	2.97
Maine	3.95	2.97	2.93	3.11
Maryland	3.91	3.05	3.16	3.28
Massachusetts	3.94	3.09	2.93	3.11
Michigan	3.86	2.58	2.44	2.83
Minnesota	3.98	3.13	3.24	3.09
Mississippi	3.80	2.82	2.66	2.92
Missouri	3.88	2.88	2.75	2.90
Montana	3.97	3.00	2.95	2.94
Nebraska	3.96	3.26	3.16	3.18
Nevada	4.00	3.17	3.18	3.24
New Hampshire	3.86	2.85	2.88	3.03
New Jersey	3.87	2.67	2.83	2.97
New Mexico	3.86	2.71	2.90	2.60
New York	3.91	2.89	2.83	3.15
North Carolina	3.92	2.83	2.80	3.12
North Dakota	3.96	3.43	3.19	2.99
Ohio	3.94	3.24	3.20	3.38
Oklahoma	3.91	2.97	3.21	2.89
Oregon	3.96	3.02	3.08	2.92
Pennsylvania	3.98	3.01	2.79	2.94
Rhode Island	3.80	3.04	3.16	3.04
South Carolina	3.93	2.57	2.58	2.70
South Dakota	3.99	3.37	3.26	3.26
Tennessee	3.96	2.79	2.81	2.96
Texas	3.94	2.76	3.02	3.02
Utah	3.93	2.90	3.18	3.03
Vermont	3.88	3.10	2.95	2.81
Virginia	3.99	2.84	3.26	2.25
Washington	3.97	2.59	2.64	3.05
West Virginia	3.83	3.08	3.29	3.41
Wisconsin	3.98	3.16	2.97	3.17
Wyoming	3.84	2.89	2.64	2.93
NATIONAL AVERAGES	3.93	2.96	2.97	3.06
	3.92	2.92	2.96	3.04

TYPES OF CONDITIONS - Survey Page 5

STATE	ARTICULAR/JOINT (CONT.)				
	intervertebral disc syndrome	thoracic outlet syndrome	hyperlordosis of cervical or lumbar spine	kyphosis of thoracic spine	aseptic necrosis or epiphysitis
Alabama	3.05	1.99	2.80	2.49	.72
Alaska	3.17	1.96	2.69	2.73	.85
Arizona	3.06	1.74	2.81	2.65	.66
Arkansas	3.08	2.27	2.88	2.62	.70
California	2.91	1.82	2.51	2.24	.56
Colorado	2.99	2.33	2.83	2.63	.59
Connecticut	3.25	1.94	2.78	2.54	.64
Delaware	3.24	1.88	2.67	2.15	.82
D.C.	3.00	1.63	2.75	3.13	.50
Florida	3.06	1.93	2.62	2.48	.61
Georgia	3.14	1.94	2.77	2.49	.62
Hawaii	3.28	1.86	2.63	2.55	.61
Idaho	3.02	2.03	2.61	2.36	.73
Illinois	3.23	2.07	2.84	2.67	.65
Indiana	2.96	2.04	2.71	2.53	.82
Iowa	2.99	2.18	3.01	2.85	.90
Kansas	2.88	2.19	2.73	2.70	.92
Kentucky	3.13	2.07	2.74	2.50	.74
Louisiana	2.87	1.81	2.47	2.33	.70
Maine	2.98	1.87	2.75	2.51	.57
Maryland	3.22	2.01	2.74	2.46	.58
Massachusetts	3.13	1.95	2.63	2.56	.55
Michigan	2.93	1.90	2.59	2.44	.67
Minnesota	2.99	1.99	2.83	2.67	.67
Mississippi	2.92	2.12	2.68	2.45	.81
Missouri	2.85	2.06	2.63	2.38	.63
Montana	2.96	1.95	2.64	2.55	.69
Nebraska	3.12	2.16	2.85	2.82	.89
Nevada	3.17	2.16	2.66	2.35	.52
New Hampshire	3.03	1.92	2.42	2.38	.69
New Jersey	3.12	1.65	2.55	2.38	.49
New Mexico	2.72	2.13	2.54	2.43	.64
New York	3.18	1.99	2.78	2.58	.59
North Carolina	3.06	1.93	2.73	2.59	.72
North Dakota	2.81	2.11	2.56	2.53	.74
Ohio	3.31	2.27	2.87	2.78	.79
Oklahoma	2.92	2.17	2.62	2.42	.84
Oregon	2.65	1.82	2.43	2.45	.59
Pennsylvania	2.98	1.82	2.62	2.35	.63
Rhode Island	3.26	1.88	2.76	2.40	.66
South Carolina	2.90	1.65	2.27	2.21	.70
South Dakota	2.94	2.08	2.73	2.52	.82
Tennessee	3.09	2.03	2.62	2.39	.68
Texas	3.10	1.97	2.67	2.25	.66
Utah	2.97	2.40	2.60	2.42	.81
Vermont	2.74	1.86	2.67	2.40	.52
Virginia	3.19	1.76	2.69	2.49	.47
Washington	2.88	1.91	2.53	2.49	.77
West Virginia	3.47	1.98	3.03	2.82	.71
Wisconsin	3.07	1.98	2.91	2.78	.75
Wyoming	2.95	1.95	2.77	2.47	.73
NATIONAL AVERAGES	3.04	1.98	2.69	2.51	.68
	3.03	1.94	2.67	2.47	.64

TYPES OF CONDITIONS - Survey Page 5

STATE	ARTICULAR/JOINT (CONT.)				
	scoliosis	congenital/develop- mental anomaly	osteoarthritis/degen. joint disease	systemic/rheumatoid arthritis or gout	bacterial infection of joint
Alabama	2.60	2.06	3.17	1.92	.61
Alaska	2.71	2.63	3.33	1.90	.54
Arizona	2.80	2.36	3.55	2.00	.53
Arkansas	2.57	2.46	3.43	1.95	.57
California	2.45	2.01	3.19	1.60	.41
Colorado	2.68	2.29	3.56	1.95	.50
Connecticut	2.52	2.17	3.49	1.68	.45
Delaware	2.67	2.00	3.67	1.85	.67
D.C.	3.50	2.50	3.63	1.75	.38
Florida	2.57	2.12	3.43	1.92	.49
Georgia	2.78	2.29	3.21	1.90	.52
Hawaii	2.59	2.13	3.38	1.61	.55
Idaho	2.38	2.21	3.46	1.92	.60
Illinois	2.66	2.34	3.62	1.99	.46
Indiana	2.67	2.22	3.58	2.08	.71
Iowa	2.73	2.46	3.56	2.17	.62
Kansas	2.52	2.40	3.42	1.85	.61
Kentucky	2.66	2.28	3.35	1.84	.55
Louisiana	2.60	2.15	3.22	1.76	.54
Maine	2.62	2.31	3.33	1.67	.39
Maryland	2.60	2.39	3.53	1.74	.37
Massachusetts	2.66	2.30	3.45	1.70	.31
Michigan	2.76	2.27	3.32	1.99	.54
Minnesota	2.57	2.42	3.50	1.83	.50
Mississippi	2.33	1.90	3.01	2.04	.68
Missouri	2.36	1.95	3.14	1.80	.54
Montana	2.45	2.54	3.35	1.85	.65
Nebraska	2.78	2.67	3.68	2.05	.78
Nevada	2.57	2.30	3.44	1.73	.40
New Hampshire	2.53	2.23	3.38	1.79	.54
New Jersey	2.65	2.21	3.45	1.86	.38
New Mexico	2.35	2.11	3.18	1.92	.59
New York	2.73	2.24	3.41	1.88	.45
North Carolina	2.35	2.32	3.50	1.86	.54
North Dakota	2.28	2.23	3.38	2.05	.55
Ohio	2.73	2.56	3.58	1.91	.69
Oklahoma	2.41	2.11	3.24	1.96	.71
Oregon	2.41	2.26	3.22	1.71	.45
Pennsylvania	2.48	2.09	3.37	1.87	.54
Rhode Island	2.68	2.30	3.54	1.86	.52
South Carolina	2.57	2.30	3.12	1.87	.70
South Dakota	2.49	2.37	3.34	2.01	.66
Tennessee	2.57	2.26	3.39	1.87	.56
Texas	2.56	2.17	3.38	1.84	.63
Utah	2.41	2.36	3.25	1.92	.68
Vermont	2.38	2.31	3.24	1.57	.38
Virginia	2.62	2.30	3.51	1.66	.43
Washington	2.75	2.45	3.23	1.59	.52
West Virginia	2.88	2.33	3.65	2.26	.59
Wisconsin	2.80	2.50	3.52	2.20	.66
Wyoming	2.30	2.18	3.27	1.86	.75
NATIONAL AVERAGES	2.58	2.27	3.39	1.87	.54
	2.59	2.22	3.38	1.84	.51

TYPES OF CONDITIONS - Survey Page 5

STATE	ARTICULAR/JOINT (CONT.)					Number Reporting
	bursitis or synovitis	carpal or tarsal tunnel syndrome	TMJ syndrome	joint tumor or neoplasm	spinal canal stenosis	
Alabama	2.74	2.17	2.12	.75	1.29	104
Alaska	2.52	2.46	2.42	.71	1.50	52
Arizona	2.58	2.23	2.24	.57	1.30	103
Arkansas	2.52	2.19	2.03	.65	1.42	91
California	2.41	2.17	2.03	.47	1.32	229
Colorado	2.46	2.59	2.63	.59	1.57	111
Connecticut	2.42	2.30	2.13	.61	1.84	106
Delaware	2.56	2.45	2.30	.85	1.88	33
D.C.	2.50	2.25	2.38	.50	1.75	8
Florida	2.54	2.13	2.08	.63	1.74	145
Georgia	2.20	1.93	2.07	.58	1.01	86
Hawaii	2.48	2.39	2.49	.59	1.52	71
Idaho	2.58	2.42	2.08	.70	1.46	90
Illinois	2.61	2.36	2.12	.69	1.63	112
Indiana	2.79	2.59	2.28	.73	1.53	112
Iowa	2.87	2.62	2.24	.73	1.35	71
Kansas	2.59	2.32	1.87	.69	1.26	98
Kentucky	2.58	2.17	1.90	.62	1.50	86
Louisiana	2.45	1.98	1.82	.59	1.15	91
Maine	2.41	2.46	2.02	.59	1.52	61
Maryland	2.57	2.23	2.10	.76	1.72	92
Massachusetts	2.44	2.32	2.16	.57	1.70	128
Michigan	2.27	2.23	2.01	.51	1.58	115
Minnesota	2.42	2.26	2.02	.62	1.72	125
Mississippi	2.26	1.84	2.01	.51	1.14	73
Missouri	2.49	2.15	1.88	.59	1.30	104
Montana	2.68	2.14	1.97	.67	1.51	78
Nebraska	2.77	2.55	2.25	.79	1.63	102
Nevada	2.51	2.27	2.20	.63	1.54	82
New Hampshire	2.46	2.23	1.94	.54	1.35	78
New Jersey	2.48	2.14	2.04	.50	1.38	120
New Mexico	2.28	2.08	2.04	.67	1.40	92
New York	2.56	2.20	2.15	.61	1.65	144
North Carolina	2.50	2.13	1.93	.68	1.56	117
North Dakota	2.45	2.34	2.10	.68	1.34	80
Ohio	2.69	2.54	2.17	.72	1.75	120
Oklahoma	2.75	2.07	2.25	.64	1.41	76
Oregon	2.53	2.20	2.08	.54	1.35	107
Pennsylvania	2.46	2.24	1.94	.65	1.48	102
Rhode Island	2.82	2.38	2.32	.68	2.10	50
South Carolina	2.35	1.98	1.87	.66	1.34	89
South Dakota	2.74	2.48	2.08	.81	1.34	95
Tennessee	2.55	2.27	2.07	.68	1.22	119
Texas	2.38	1.99	2.12	.61	1.48	104
Utah	2.66	2.52	2.21	.64	1.67	73
Vermont	2.21	2.24	2.02	.57	1.26	42
Virginia	2.62	2.17	2.16	.65	1.52	113
Washington	2.30	2.23	2.14	.58	1.59	116
West Virginia	2.65	2.23	2.14	.92	1.82	66
Wisconsin	2.73	2.60	1.99	.73	1.38	122
Wyoming	2.32	2.14	1.95	.73	1.57	44
NATIONAL AVERAGES	2.52	2.26	2.10	.64	1.49	UNWEIGHTED
	2.50	2.23	2.08	.60	1.48	WEIGHTED

TYPES OF CONDITIONS - Survey Page 5

STATE	NEUROLOGICAL				
	headaches	peripheral neuritis or neuralgia	ALS, multiple sclerosis or Parkinson's	tearing or rupture of nerve/plexus	stroke or cerebrovascular condition
Alabama	3.79	3.52	1.09	.71	1.02
Alaska	3.83	3.42	1.15	.85	.88
Arizona	3.87	3.42	1.21	.89	1.04
Arkansas	3.73	3.43	1.04	.92	.92
California	3.67	3.20	.90	.79	.81
Colorado	3.91	3.38	1.15	.75	.83
Connecticut	3.65	3.30	1.03	.72	.76
Delaware	3.82	3.61	1.27	1.00	1.06
D.C.	3.75	3.63	1.38	.75	.88
Florida	3.77	3.41	1.12	.85	1.10
Georgia	3.79	3.42	1.17	.87	.91
Hawaii	3.80	3.31	.86	1.03	.90
Idaho	3.87	3.52	1.28	.91	1.06
Illinois	3.72	3.51	.99	.79	.96
Indiana	3.80	3.37	1.21	.86	1.13
Iowa	3.86	3.58	1.44	.93	1.38
Kansas	3.69	3.58	1.24	.90	1.01
Kentucky	3.72	3.23	1.05	.98	1.16
Louisiana	3.68	3.23	.96	.85	.78
Maine	3.56	3.25	1.21	.89	.79
Maryland	3.70	3.40	1.05	.66	.88
Massachusetts	3.70	3.23	.94	.67	.59
Michigan	3.78	3.34	1.21	.84	1.10
Minnesota	3.78	3.30	1.12	.86	.80
Mississippi	3.73	3.36	1.01	.99	.99
Missouri	3.76	3.33	1.13	.70	1.07
Montana	3.85	3.29	1.35	.92	.95
Nebraska	3.85	3.62	1.52	1.04	1.25
Nevada	3.90	3.40	1.05	.83	.84
New Hampshire	3.68	3.15	1.08	.86	.92
New Jersey	3.69	3.43	.98	.73	.82
New Mexico	3.78	3.34	1.08	.93	.90
New York	3.69	3.47	1.17	.70	.78
North Carolina	3.69	3.49	1.03	.79	.92
North Dakota	3.85	3.21	1.20	.70	1.00
Ohio	3.83	3.52	1.27	.83	1.01
Oklahoma	3.82	3.42	1.16	.91	1.08
Oregon	3.82	3.14	1.21	.95	1.02
Pennsylvania	3.70	3.25	1.19	.76	1.00
Rhode Island	3.66	3.40	1.00	.86	.74
South Carolina	3.71	3.45	.93	.84	.91
South Dakota	3.88	3.49	1.34	.93	1.24
Tennessee	3.79	3.45	1.02	.77	.97
Texas	3.83	3.33	1.05	.99	.94
Utah	3.81	3.22	1.14	.92	.89
Vermont	3.48	3.12	1.02	.88	.95
Virginia	3.73	3.30	1.00	.64	.77
Washington	3.84	3.28	1.28	.83	.90
West Virginia	3.83	3.44	1.11	.94	.97
Wisconsin	3.76	3.52	1.29	.81	1.24
Wyoming	3.73	3.23	1.14	.84	.84
NATIONAL AVERAGES	3.76	3.37	1.12	.83	.95
	3.74	3.36	1.10	.81	.93

TYPES OF CONDITIONS - Survey Page 5

STATE	NEUROLOGICAL (CONT.)					Number Reporting
	vertebrobasilar artery insufficiency	cranial nerve disorder	radiculitis or radiculopathy	loss of equilibrium	brain or spinal cord tumor	
Alabama	.96	1.25	3.06	2.05	.46	104
Alaska	.67	1.23	3.06	2.15	.52	52
Arizona	1.05	1.22	3.22	2.11	.35	103
Arkansas	.95	1.12	3.16	1.99	.52	91
California	.78	1.01	3.10	1.79	.35	229
Colorado	.86	1.14	3.18	1.92	.41	111
Connecticut	.76	.91	3.36	1.67	.38	106
Delaware	.94	1.30	3.42	1.97	.52	33
D.C.	.88	.88	3.50	1.63	.38	8
Florida	.99	1.22	3.23	2.09	.44	145
Georgia	.95	1.08	2.92	1.87	.42	86
Hawaii	.70	.87	3.15	1.76	.38	71
Idaho	1.01	1.20	3.10	2.06	.51	90
Illinois	.76	1.00	3.24	1.81	.38	112
Indiana	1.10	1.23	3.25	2.07	.47	112
Iowa	1.15	1.39	3.13	2.42	.55	71
Kansas	.94	1.17	3.09	2.12	.44	98
Kentucky	.93	1.10	3.05	1.85	.42	86
Louisiana	.80	.95	2.96	1.74	.34	91
Maine	.67	.98	3.05	1.90	.39	61
Maryland	.79	1.09	3.29	1.68	.45	92
Massachusetts	.68	.95	3.12	1.77	.30	128
Michigan	.88	1.08	3.00	2.03	.45	115
Minnesota	.86	1.00	3.16	1.90	.45	125
Mississippi	.77	1.22	2.89	2.00	.40	73
Missouri	1.04	1.10	2.93	1.96	.44	104
Montana	.86	1.18	3.09	2.12	.56	78
Nebraska	1.05	1.29	3.15	2.15	.62	102
Nevada	.78	1.01	3.32	1.91	.39	82
New Hampshire	.77	1.10	2.97	1.94	.44	78
New Jersey	.79	1.00	3.33	1.92	.37	120
New Mexico	.97	1.26	2.84	2.17	.40	92
New York	.73	1.05	3.38	1.96	.35	144
North Carolina	.97	1.16	3.34	2.06	.47	117
North Dakota	.91	1.11	2.78	2.04	.44	80
Ohio	.88	1.09	3.23	1.96	.48	120
Oklahoma	.89	1.39	3.20	2.17	.38	76
Oregon	.88	.99	2.76	1.95	.49	107
Pennsylvania	.81	1.06	3.00	1.70	.38	102
Rhode Island	.64	1.00	3.44	1.72	.48	50
South Carolina	.87	1.20	2.98	2.00	.48	89
South Dakota	1.16	1.20	3.09	2.19	.66	95
Tennessee	.86	1.10	3.21	1.89	.45	119
Texas	.83	1.23	3.31	2.06	.47	104
Utah	1.01	1.33	3.05	2.04	.51	73
Vermont	.88	1.02	2.90	1.88	.40	42
Virginia	.74	.88	3.26	1.73	.38	113
Washington	.90	1.11	2.72	2.17	.50	116
West Virginia	1.00	1.06	3.47	2.03	.62	66
Wisconsin	.99	1.18	3.16	2.10	.50	122
Wyoming	1.00	1.30	2.82	2.07	.48	44
NATIONAL AVERAGES	.88	1.11	3.13	1.96	.44	UNWEIGHED
	.86	1.09	3.14	1.94	.41	WEIGHED

TYPES OF CONDITIONS - Survey Page 6

STATE	SKELETAL					Number Reporting
	fracture	osteoporosis/ osteomalacia	congenital/dev. anomaly	endocrine/meta- bolic bone disorder	bone tumor	
Alabama	1.25	2.44	2.01	1.02	.67	104
Alaska	1.37	2.48	2.75	1.06	.71	52
Arizona	1.29	2.65	2.28	1.06	.52	103
Arkansas	1.23	2.51	2.30	1.12	.67	90
California	1.18	2.28	2.02	.79	.46	229
Colorado	1.28	2.51	2.28	1.19	.62	112
Connecticut	1.19	2.54	2.23	1.00	.64	106
Delaware	1.12	2.82	2.00	.85	.70	33
D.C.	1.25	2.50	2.25	.88	.38	8
Florida	1.29	2.76	2.25	1.03	.61	144
Georgia	1.28	2.29	2.27	.98	.61	85
Hawaii	1.27	2.17	2.03	.82	.52	71
Idaho	1.34	2.63	2.36	1.03	.57	90
Illinois	1.28	2.54	2.29	.95	.62	112
Indiana	1.21	2.70	2.19	1.10	.63	112
Iowa	1.30	2.85	2.37	1.03	.62	71
Kansas	1.29	2.72	2.33	1.02	.70	98
Kentucky	1.18	2.46	2.09	.99	.49	85
Louisiana	1.12	2.21	2.14	.79	.63	91
Maine	1.07	2.34	2.15	.89	.49	61
Maryland	1.22	2.52	2.40	.97	.70	92
Massachusetts	1.15	2.36	2.34	.87	.57	124
Michigan	1.14	2.50	2.27	.95	.54	114
Minnesota	1.16	2.38	2.31	.73	.61	125
Mississippi	1.04	2.34	2.10	.78	.53	73
Missouri	1.13	2.49	2.02	.96	.50	104
Montana	1.23	2.51	2.46	.94	.64	78
Nebraska	1.26	3.01	2.75	1.16	.79	102
Nevada	1.30	2.43	2.21	.88	.56	82
New Hampshire	1.01	2.43	2.23	1.04	.55	77
New Jersey	1.08	2.42	2.18	.87	.57	119
New Mexico	1.13	2.47	2.17	1.07	.60	92
New York	1.09	2.38	2.29	.87	.50	144
North Carolina	1.15	2.57	2.42	.91	.62	116
North Dakota	1.26	2.75	2.30	1.08	.55	80
Ohio	1.28	2.71	2.56	1.05	.67	120
Oklahoma	1.24	2.51	2.09	1.05	.62	76
Oregon	1.17	2.47	2.19	1.08	.53	107
Pennsylvania	1.05	2.34	2.00	.76	.48	102
Rhode Island	1.18	2.29	2.31	.96	.53	49
South Carolina	1.16	2.37	2.27	.87	.55	89
South Dakota	1.47	2.71	2.47	1.09	.76	94
Tennessee	1.27	2.60	2.32	.93	.66	119
Texas	1.28	2.38	2.30	.97	.62	103
Utah	1.31	2.50	2.31	1.32	.68	72
Vermont	1.17	2.15	2.10	.76	.41	41
Virginia	1.15	2.48	2.23	.82	.56	113
Washington	1.19	2.59	2.46	.91	.64	116
West Virginia	1.42	2.85	2.44	.98	.79	66
Wisconsin	1.30	2.78	2.38	1.09	.68	121
Wyoming	1.23	2.64	2.05	.98	.55	44
NATIONAL AVERAGES	1.21	2.52	2.27	.96	.60	UNWEIGHED
	1.19	2.47	2.22	.92	.57	WEIGHED

TYPES OF CONDITIONS - Survey Page 6

STATE	MUSCULAR					Number Reporting
	muscular strain/tear	tendinitis/tenosynovitis	muscular dystrophy	muscular atrophy	muscle tumor	
Alabama	3.38	3.13	.90	1.49	.47	104
Alaska	3.73	3.42	.83	1.44	.37	52
Arizona	3.51	3.21	.83	1.76	.34	103
Arkansas	3.43	3.14	.99	1.62	.44	90
California	3.50	3.17	.58	1.38	.26	229
Colorado	3.71	3.38	.64	1.58	.30	112
Connecticut	3.65	3.57	.59	1.58	.28	106
Delaware	3.67	3.33	.79	1.55	.42	33
D.C.	3.25	2.75	.88	1.63	.25	8
Florida	3.60	3.28	.76	1.64	.43	144
Georgia	3.32	2.87	.91	1.44	.36	85
Hawaii	3.68	3.18	.63	1.52	.21	71
Idaho	3.53	3.30	.78	1.47	.32	90
Illinois	3.63	3.29	.65	1.43	.27	112
Indiana	3.41	3.21	.81	1.60	.39	112
Iowa	3.45	3.37	.94	1.58	.37	71
Kansas	3.32	3.12	.93	1.70	.52	98
Kentucky	3.51	3.00	.87	1.59	.40	85
Louisiana	3.27	2.76	.79	1.38	.31	91
Maine	3.13	3.02	.74	1.34	.21	61
Maryland	3.54	3.27	.60	1.50	.17	92
Massachusetts	3.50	3.31	.60	1.41	.19	124
Michigan	3.11	2.76	.78	1.39	.36	114
Minnesota	3.68	3.35	.65	1.42	.27	125
Mississippi	3.11	2.92	.85	1.59	.36	73
Missouri	3.30	3.05	.86	1.51	.44	104
Montana	3.33	3.12	.72	1.64	.37	78
Nebraska	3.48	3.26	.87	1.68	.45	102
Nevada	3.57	3.30	.66	1.50	.35	82
New Hampshire	3.44	2.96	.74	1.51	.30	77
New Jersey	3.51	3.15	.66	1.46	.24	119
New Mexico	3.43	3.00	.76	1.49	.36	92
New York	3.47	3.27	.70	1.66	.26	144
North Carolina	3.51	3.17	.77	1.41	.29	116
North Dakota	3.38	3.01	.66	1.26	.24	80
Ohio	3.68	3.42	.73	1.68	.40	120
Oklahoma	3.51	3.26	.84	1.67	.41	76
Oregon	3.34	3.20	.73	1.49	.32	107
Pennsylvania	3.29	2.93	.71	1.49	.35	102
Rhode Island	3.61	3.39	.57	1.41	.27	49
South Carolina	3.28	2.81	.75	1.42	.34	89
South Dakota	3.71	3.47	1.03	1.83	.49	94
Tennessee	3.18	3.01	.75	1.55	.43	119
Texas	3.57	3.20	.88	1.53	.45	103
Utah	3.56	3.18	.82	1.57	.44	72
Vermont	3.46	3.20	.73	1.41	.41	41
Virginia	3.52	3.16	.57	1.49	.23	113
Washington	3.34	2.81	.72	1.44	.29	116
West Virginia	3.55	3.20	.85	1.77	.52	66
Wisconsin	3.41	3.29	.78	1.50	.47	121
Wyoming	3.32	3.14	.98	1.55	.52	44
NATIONAL AVERAGES	3.47	3.17	.75	1.53	.35	UNWEIGHTED
	3.47	3.16	.72	1.51	.33	WEIGHTED

TYPES OF CONDITIONS - Survey Page 6

STATE	CARDIOVASCULAR						Number Reporting
	high or low blood pressure	angina or myocardial infarction	arterial aneurysm	peripheral artery or vein disorder	murmur/rhythm irregularity	congenital anomaly	
Alabama	3.26	1.32	.86	1.19	1.51	1.05	104
Alaska	2.87	1.08	.73	1.08	1.37	1.02	52
Arizona	3.14	1.29	.66	1.33	1.33	.99	103
Arkansas	3.09	1.41	.81	1.27	1.48	.94	90
California	2.86	1.07	.57	1.03	1.22	.83	229
Colorado	3.14	1.17	.58	1.17	1.36	.90	112
Connecticut	2.89	1.32	.80	1.26	1.53	1.01	106
Delaware	3.21	1.52	.91	1.06	1.36	1.27	33
D.C.	2.13	.88	.38	.75	.88	.75	8
Florida	3.14	1.44	.84	1.40	1.46	1.03	144
Georgia	3.22	1.29	.73	1.02	1.41	1.08	85
Hawaii	2.87	1.06	.62	1.01	1.21	1.00	71
Idaho	3.21	1.38	.68	1.30	1.40	1.11	90
Illinois	3.07	1.23	.64	1.13	1.37	.77	112
Indiana	3.34	1.46	.81	1.41	1.52	.96	112
Iowa	3.44	1.55	.96	1.49	1.77	1.07	71
Kansas	3.17	1.39	.67	1.24	1.41	1.06	98
Kentucky	3.22	1.44	.68	1.22	1.36	1.02	85
Louisiana	2.79	1.11	.52	.96	1.20	.98	91
Maine	2.80	1.15	.52	1.00	1.15	.92	61
Maryland	3.14	1.38	.84	1.42	1.58	1.12	92
Massachusetts	2.95	1.20	.69	1.10	1.25	.89	124
Michigan	3.04	1.54	.86	1.28	1.33	1.08	114
Minnesota	2.98	1.18	.69	1.30	1.34	.90	125
Mississippi	3.16	1.36	.74	1.12	1.37	1.04	73
Missouri	3.22	1.41	.71	1.24	1.58	1.07	104
Montana	3.13	1.27	.69	1.42	1.33	.86	78
Nebraska	3.31	1.33	.80	1.49	1.51	1.24	102
Nevada	3.09	1.27	.68	1.35	1.29	.99	82
New Hampshire	3.05	1.45	.75	1.43	1.53	1.00	77
New Jersey	3.05	1.37	.66	1.02	1.23	.87	119
New Mexico	2.99	1.17	.62	1.15	1.26	1.07	92
New York	3.04	1.51	.72	1.28	1.47	.90	144
North Carolina	3.07	1.48	.78	1.28	1.41	1.05	116
North Dakota	3.03	1.39	.60	1.35	1.41	.85	80
Ohio	3.20	1.39	.92	1.49	1.61	1.03	120
Oklahoma	2.97	1.34	.67	1.36	1.45	1.18	76
Oregon	2.87	1.26	.72	1.25	1.40	.86	107
Pennsylvania	2.99	1.37	.73	1.19	1.29	1.09	102
Rhode Island	2.94	1.20	.76	1.27	1.04	.98	49
South Carolina	3.08	1.18	.80	1.02	1.08	.89	89
South Dakota	3.32	1.38	.78	1.41	1.43	.93	94
Tennessee	3.10	1.37	.89	1.19	1.44	1.08	119
Texas	3.08	1.25	.73	1.15	1.34	.87	103
Utah	3.11	1.26	.63	1.14	1.53	1.03	72
Vermont	3.10	1.24	.71	1.32	1.39	.90	41
Virginia	3.04	1.24	.65	1.16	1.22	.78	113
Washington	3.14	1.29	.77	1.08	1.20	.99	116
West Virginia	3.29	1.36	.88	1.21	1.53	1.06	66
Wisconsin	3.36	1.49	.79	1.43	1.56	1.03	121
Wyoming	3.02	1.25	.75	1.18	1.41	1.16	44
NATIONAL AVERAGES	3.09	1.32	.73	1.23	1.38	.98	UNWEIGHTED
	3.06	1.31	.71	1.21	1.37	.96	WEIGHTED

TYPES OF CONDITIONS - Survey Page 6

STATE	RESPIRATORY					Number Reporting
	viral or bacterial infection	asthma, emphysema or COPD	occupational or environmental disorder	atelectasis or pneumothorax	tumor of lung or respiratory passages	
Alabama	1.78	2.04	1.53	.49	.55	104
Alaska	2.56	2.17	1.62	.42	.50	52
Arizona	2.13	2.39	1.79	.50	.40	103
Arkansas	1.93	1.97	1.71	.52	.58	90
California	1.81	1.86	1.51	.29	.37	229
Colorado	2.46	2.16	1.61	.42	.36	112
Connecticut	1.84	1.93	1.44	.37	.46	106
Delaware	1.67	2.15	1.67	.39	.55	33
D.C.	1.13	1.13	.88	.25	.38	8
Florida	1.80	1.92	1.33	.47	.51	144
Georgia	2.00	2.12	1.64	.58	.46	85
Hawaii	2.07	2.11	1.48	.38	.37	71
Idaho	2.07	2.09	1.59	.32	.49	90
Illinois	1.98	2.08	1.42	.29	.49	112
Indiana	2.27	2.29	1.82	.58	.50	112
Iowa	2.51	2.54	1.87	.49	.59	71
Kansas	1.88	2.26	1.69	.46	.49	98
Kentucky	2.05	2.16	1.71	.53	.48	85
Louisiana	1.60	1.95	1.30	.34	.36	91
Maine	2.00	2.16	1.82	.41	.46	61
Maryland	2.13	1.90	1.42	.35	.53	92
Massachusetts	1.91	2.16	1.51	.27	.36	124
Michigan	2.09	2.30	1.88	.45	.46	114
Minnesota	2.30	2.07	1.41	.39	.42	125
Mississippi	1.63	2.00	1.68	.56	.51	73
Missouri	1.98	2.13	1.64	.56	.52	104
Montana	1.96	2.01	1.59	.36	.54	78
Nebraska	2.31	2.35	1.80	.45	.56	102
Nevada	2.10	2.21	1.60	.35	.48	82
New Hampshire	1.94	2.16	1.64	.51	.48	77
New Jersey	1.86	2.18	1.30	.42	.38	119
New Mexico	2.04	2.20	1.73	.54	.41	92
New York	1.94	2.17	1.58	.33	.38	144
North Carolina	1.82	2.03	1.64	.42	.41	116
North Dakota	1.95	2.20	1.51	.49	.40	80
Ohio	2.01	2.08	1.51	.41	.53	120
Oklahoma	1.91	2.13	1.75	.53	.50	76
Oregon	2.27	1.93	1.65	.43	.49	107
Pennsylvania	1.86	2.00	1.50	.40	.44	102
Rhode Island	1.69	1.80	1.29	.43	.55	49
South Carolina	1.70	1.90	1.44	.46	.46	89
South Dakota	2.31	2.30	1.85	.47	.59	94
Tennessee	1.93	2.03	1.71	.49	.57	119
Texas	2.00	2.11	1.58	.54	.54	103
Utah	2.17	2.04	1.63	.49	.47	72
Vermont	2.29	2.17	1.71	.44	.54	41
Virginia	1.92	1.82	1.36	.26	.29	113
Washington	2.07	2.09	1.52	.40	.45	116
West Virginia	1.77	2.00	1.77	.35	.56	66
Wisconsin	2.47	2.37	1.63	.47	.55	121
Wyoming	2.07	2.02	1.84	.43	.48	44
NATIONAL AVERAGES	2.01	2.10	1.59	.43	.47	UNWEIGHED
	1.98	2.08	1.55	.41	.45	WEIGHED

TYPES OF CONDITIONS - Survey Page 6

STATE	INTEGUMENT					Number Reporting
	acne, dermatitis or psoriasis	bacterial or fungal infection	herpes simplex or zoster	pigment disorders	skin cancer	
Alabama	1.80	1.37	1.39	.93	1.15	104
Alaska	2.31	1.81	1.62	.90	.77	52
Arizona	2.05	1.57	1.38	1.00	1.21	103
Arkansas	1.86	1.54	1.38	1.00	1.10	90
California	1.83	1.33	1.28	.99	.85	229
Colorado	2.21	1.73	1.57	1.06	.92	112
Connecticut	1.85	1.29	1.31	.85	.93	106
Delaware	1.94	1.27	1.21	.79	.79	33
D.C.	1.25	1.00	1.00	.38	.38	8
Florida	1.96	1.49	1.49	1.16	1.42	144
Georgia	1.84	1.38	1.27	.93	.93	85
Hawaii	2.06	1.56	1.27	1.07	.93	71
Idaho	2.24	1.64	1.62	1.08	1.07	90
Illinois	1.98	1.30	1.19	.88	.77	112
Indiana	2.12	1.52	1.45	.93	.84	112
Iowa	2.21	1.69	1.61	1.03	1.00	71
Kansas	1.83	1.33	1.26	.88	.93	98
Kentucky	2.02	1.40	1.42	.74	.86	85
Louisiana	1.74	1.13	1.14	.73	.82	91
Maine	1.82	1.39	1.21	.79	.72	61
Maryland	2.02	1.36	1.32	.98	.85	92
Massachusetts	2.12	1.36	1.22	.90	.79	124
Michigan	2.06	1.41	1.38	1.04	.91	114
Minnesota	1.97	1.38	1.34	.88	.69	125
Mississippi	1.47	1.15	1.11	.86	.96	73
Missouri	1.92	1.38	1.31	.78	.81	104
Montana	2.21	1.41	1.37	1.00	.97	78
Nebraska	2.17	1.69	1.60	1.23	1.07	102
Nevada	1.98	1.33	1.51	.88	1.00	82
New Hampshire	2.08	1.23	1.22	.91	.77	77
New Jersey	1.88	1.27	1.29	.77	.68	119
New Mexico	1.99	1.51	1.43	.90	1.11	92
New York	1.92	1.44	1.35	.90	.78	144
North Carolina	1.84	1.45	1.35	.90	.80	116
North Dakota	2.15	1.43	1.44	1.03	.65	80
Ohio	2.08	1.46	1.38	1.07	.89	120
Oklahoma	2.13	1.53	1.47	1.08	.88	76
Oregon	2.12	1.70	1.43	.95	.80	107
Pennsylvania	1.76	1.23	1.13	.76	.74	102
Rhode Island	1.76	1.39	1.08	1.08	.80	49
South Carolina	1.85	1.33	1.20	.94	.91	89
South Dakota	2.07	1.52	1.47	1.09	.88	94
Tennessee	1.87	1.31	1.32	.97	1.08	119
Texas	1.86	1.41	1.35	.91	.96	103
Utah	1.97	1.51	1.38	.81	.96	72
Vermont	1.95	1.59	1.51	.88	.78	41
Virginia	1.80	1.35	1.35	.86	.80	113
Washington	2.20	1.40	1.20	.99	.90	116
West Virginia	2.21	1.47	1.42	1.11	.92	66
Wisconsin	2.32	1.55	1.47	1.10	.99	121
Wyoming	1.86	1.50	1.45	.95	1.00	44
NATIONAL AVERAGES	1.98	1.43	1.36	.95	.91	UNWEIGHTED
	1.95	1.40	1.33	.94	.89	WEIGHTED

TYPES OF CONDITIONS - Survey Page 7

STATE	GASTROINTESTINAL							Number Reporting
	bacterial or viral infection	appendicitis, cholecystitis or pancreatitis	ulcer of stomach, intestine or colon	hiatus or inguinal hernia	colitis or diverticulitis	hemorrhoids	tumor of gastrointestinal tract	
Alabama	1.67	.88	1.73	2.08	1.76	1.77	.49	104
Alaska	2.10	1.02	1.37	1.83	1.50	1.50	.29	52
Arizona	1.75	1.00	1.73	1.88	1.66	1.59	.41	103
Arkansas	1.70	1.11	1.72	1.81	1.87	1.71	.44	89
California	1.50	.73	1.34	1.56	1.38	1.34	.29	229
Colorado	1.89	1.05	1.58	2.04	1.59	1.67	.34	112
Connecticut	1.45	.77	1.33	1.47	1.41	1.43	.48	106
Delaware	1.67	.67	1.30	1.58	1.64	1.64	.37	33
D.C.	1.43	.43	1.43	1.57	1.57	1.71	.43	7
Florida	1.62	.88	1.47	1.74	1.69	1.53	.40	144
Georgia	1.76	.79	1.48	1.78	1.49	1.59	.36	86
Hawaii	1.59	.70	1.34	1.45	1.17	1.32	.30	71
Idaho	1.74	1.02	1.70	1.81	1.52	1.54	.46	90
Illinois	1.66	.90	1.57	1.75	1.74	1.57	.33	112
Indiana	1.81	1.00	1.71	2.06	1.96	1.71	.38	112
Iowa	1.82	1.10	1.85	2.17	1.92	1.83	.44	71
Kansas	1.60	.97	1.58	1.77	1.80	1.64	.43	97
Kentucky	1.80	.95	1.59	1.78	1.73	1.56	.31	86
Louisiana	1.38	.77	1.45	1.64	1.44	1.42	.30	91
Maine	1.61	.77	1.25	1.57	1.38	1.43	.30	61
Maryland	1.67	.75	1.35	1.83	1.57	1.58	.38	92
Massachusetts	1.66	.73	1.44	1.70	1.42	1.56	.26	125
Michigan	1.85	.91	1.58	1.81	1.70	1.75	.53	114
Minnesota	1.59	.76	1.40	1.46	1.30	1.28	.34	125
Mississippi	1.60	.89	1.73	1.97	1.73	1.63	.41	73
Missouri	1.60	1.04	1.51	1.68	1.74	1.63	.32	103
Montana	1.54	.82	1.54	1.65	1.50	1.56	.37	78
Nebraska	1.74	1.06	1.81	1.90	1.93	1.68	.44	102
Nevada	1.59	.84	1.48	1.89	1.38	1.39	.28	82
New Hampshire	1.48	.90	1.48	1.69	1.53	1.61	.36	77
New Jersey	1.77	.83	1.42	1.66	1.59	1.37	.30	120
New Mexico	1.82	.95	1.42	1.87	1.67	1.62	.37	92
New York	1.69	.74	1.50	1.81	1.70	1.48	.30	144
North Carolina	1.55	.91	1.42	1.81	1.59	1.53	.34	116
North Dakota	1.59	.83	1.64	1.74	1.40	1.58	.35	80
Ohio	1.76	.96	1.60	1.92	1.70	1.68	.43	120
Oklahoma	1.73	.92	1.70	1.91	1.88	1.70	.45	74
Oregon	1.71	.93	1.46	1.67	1.57	1.54	.40	107
Pennsylvania	1.58	.80	1.34	1.61	1.55	1.48	.33	102
Rhode Island	1.37	.78	1.24	1.49	1.29	1.39	.29	49
South Carolina	1.56	.70	1.42	1.70	1.44	1.45	.40	89
South Dakota	1.60	1.02	1.69	1.89	1.62	1.47	.49	94
Tennessee	1.52	.86	1.68	1.82	1.66	1.57	.45	119
Texas	1.71	.89	1.44	1.84	1.57	1.52	.42	104
Utah	1.68	.93	1.59	1.82	1.56	1.47	.41	73
Vermont	1.90	.98	1.54	1.88	1.76	1.68	.29	41
Virginia	1.55	.73	1.22	1.69	1.44	1.42	.23	113
Washington	1.75	.74	1.57	1.71	1.49	1.60	.42	115
West Virginia	1.62	.92	1.56	1.73	1.67	1.74	.46	66
Wisconsin	1.88	.93	1.68	1.78	1.66	1.68	.48	120
Wyoming	1.68	1.00	1.66	1.93	1.55	1.61	.55	44
NATIONAL AVERAGES	1.66	.88	1.52	1.77	1.60	1.55	.38	UNWEIGHTED
	1.66	.85	1.49	1.73	1.59	1.52	.36	WEIGHTED

TYPES OF CONDITIONS - Survey Page 7

STATE	RENAL/UROLOGICAL				Number Reporting
	infection of kidney or urinary tract	kidney stones	chronic kidney disease or failure	tumor of the kidney or bladder	
Alabama	2.04	1.32	.73	.29	104
Alaska	1.71	1.08	.62	.37	52
Arizona	1.78	1.03	.71	.29	103
Arkansas	1.90	1.20	.73	.33	89
California	1.40	.93	.51	.17	229
Colorado	1.71	1.04	.51	.19	112
Connecticut	1.41	.99	.50	.25	106
Delaware	1.76	1.06	.76	.30	33
D.C.	1.29	1.00	.57	.29	7
Florida	1.66	1.11	.65	.31	144
Georgia	1.69	1.08	.57	.29	86
Hawaii	1.32	.94	.52	.14	71
Idaho	1.64	1.12	.66	.24	90
Illinois	1.67	.97	.61	.29	112
Indiana	1.96	1.15	.79	.31	112
Iowa	2.03	1.20	.77	.34	71
Kansas	1.63	.94	.57	.35	97
Kentucky	1.81	1.16	.64	.27	86
Louisiana	1.71	1.04	.57	.22	91
Maine	1.48	.92	.43	.26	61
Maryland	1.60	1.09	.42	.21	92
Massachusetts	1.42	1.07	.47	.13	125
Michigan	1.67	1.08	.64	.31	114
Minnesota	1.43	.90	.43	.20	125
Mississippi	1.82	1.26	.84	.30	73
Missouri	1.85	1.16	.84	.33	103
Montana	1.49	1.04	.65	.33	78
Nebraska	1.86	1.14	.71	.31	102
Nevada	1.55	1.02	.51	.17	82
New Hampshire	1.55	1.08	.53	.23	77
New Jersey	1.47	1.17	.53	.22	120
New Mexico	1.73	.95	.75	.24	92
New York	1.43	1.09	.48	.26	144
North Carolina	1.83	1.28	.68	.28	116
North Dakota	1.61	.84	.55	.25	80
Ohio	1.76	1.12	.71	.30	120
Oklahoma	1.96	1.22	.82	.24	74
Oregon	1.47	.98	.54	.23	107
Pennsylvania	1.46	1.05	.43	.22	102
Rhode Island	1.41	1.04	.57	.31	49
South Carolina	1.79	1.26	.55	.28	89
South Dakota	1.76	1.00	.73	.34	94
Tennessee	1.66	1.13	.64	.27	119
Texas	1.63	.97	.63	.31	104
Utah	1.70	1.10	.70	.27	73
Vermont	1.63	1.22	.78	.22	41
Virginia	1.54	1.01	.42	.16	113
Washington	1.45	.98	.65	.34	115
West Virginia	1.82	1.27	.55	.35	66
Wisconsin	1.87	1.09	.62	.31	120
Wyoming	1.52	.84	.70	.39	44
NATIONAL AVERAGES	1.65	1.07	.61	.26	UNWEIGHTED
	1.59	1.05	.58	.25	WEIGHTED

TYPES OF CONDITIONS - Survey Page 7

STATE	MALE REPRODUCTIVE				Number Reporting
	male infertility or impotency	prostate disorder	congenital anomaly	tumor of reproductive system	
Alabama	1.10	1.67	.33	.27	104
Alaska	.94	1.10	.37	.23	52
Arizona	1.05	1.30	.30	.31	103
Arkansas	1.09	1.43	.44	.36	89
California	.80	1.02	.31	.15	229
Colorado	.94	1.29	.29	.26	112
Connecticut	.65	1.13	.30	.26	106
Delaware	1.03	1.42	.48	.27	33
D.C.	1.00	1.14	.43	.43	7
Florida	1.02	1.38	.33	.31	144
Georgia	1.01	1.28	.30	.20	86
Hawaii	.73	1.01	.31	.14	71
Idaho	.98	1.36	.46	.29	90
Illinois	.79	1.31	.29	.26	112
Indiana	1.11	1.54	.41	.34	112
Iowa	1.04	1.69	.30	.32	71
Kansas	1.05	1.38	.52	.33	97
Kentucky	.94	1.47	.37	.28	86
Louisiana	1.04	1.47	.37	.26	91
Maine	.85	1.11	.34	.20	61
Maryland	.85	1.18	.35	.24	92
Massachusetts	.79	1.08	.29	.17	125
Michigan	1.02	1.36	.36	.33	114
Minnesota	.78	1.05	.23	.22	125
Mississippi	1.32	1.60	.49	.25	73
Missouri	.90	1.37	.43	.34	103
Montana	.96	1.42	.37	.31	78
Nebraska	1.10	1.57	.48	.32	102
Nevada	.88	1.23	.33	.23	82
New Hampshire	.97	1.13	.31	.26	77
New Jersey	.80	1.14	.29	.17	120
New Mexico	1.01	1.34	.32	.26	92
New York	.92	1.30	.28	.24	144
North Carolina	.95	1.33	.28	.19	116
North Dakota	.86	1.38	.28	.21	80
Ohio	.98	1.38	.41	.33	120
Oklahoma	1.18	1.50	.47	.26	74
Oregon	.80	1.17	.23	.26	107
Pennsylvania	.87	1.11	.19	.21	102
Rhode Island	.71	1.12	.27	.29	49
South Carolina	1.11	1.25	.34	.29	89
South Dakota	.88	1.44	.35	.31	94
Tennessee	.99	1.42	.37	.20	119
Texas	1.06	1.38	.52	.26	104
Utah	.96	1.45	.36	.27	73
Vermont	.98	1.22	.27	.24	41
Virginia	.75	1.10	.16	.19	113
Washington	.96	1.15	.43	.24	115
West Virginia	1.08	1.33	.36	.27	66
Wisconsin	1.06	1.52	.35	.26	120
Wyoming	.89	1.18	.27	.25	44
NATIONAL AVERAGES	.94	1.30	.34	.26	UNWEIGHED
	.92	1.26	.33	.24	WEIGHED

TYPES OF CONDITIONS - Survey Page 7

STATE	FEMALE REPRODUCTIVE OR BREAST					Number Reporting
	female infertility	pregnancy	menstrual disorder	non-cancerous disorder of breast	tumor of breast or reproductive	
Alabama	1.07	1.81	2.34	1.19	.72	104
Alaska	1.06	2.52	2.42	1.29	.79	52
Arizona	1.17	2.22	2.34	1.22	.72	103
Arkansas	1.00	1.79	2.16	1.17	.75	89
California	.93	2.06	2.13	.94	.66	229
Colorado	1.23	2.06	2.47	1.31	.79	112
Connecticut	.94	1.93	2.04	1.09	.77	106
Delaware	1.21	2.30	2.39	1.21	.85	33
D.C.	1.00	2.29	1.71	1.43	.86	7
Florida	.84	1.81	2.19	1.13	.71	144
Georgia	1.12	2.02	2.22	1.03	.71	86
Hawaii	.85	2.23	2.20	1.00	.65	71
Idaho	.96	2.13	2.27	1.17	.71	90
Illinois	.84	1.79	2.08	1.04	.64	112
Indiana	1.15	2.25	2.51	1.22	.76	112
Iowa	1.11	2.37	2.44	1.15	.72	71
Kansas	.97	1.95	2.24	1.06	.72	97
Kentucky	1.03	1.81	2.26	.98	.58	86
Louisiana	.92	1.75	2.13	1.00	.74	91
Maine	.98	1.87	2.26	.84	.61	61
Maryland	.84	1.97	2.18	1.12	.78	92
Massachusetts	1.09	2.22	2.33	1.00	.60	125
Michigan	1.11	2.15	2.35	1.13	.77	114
Minnesota	.78	2.06	2.27	1.10	.54	125
Mississippi	1.15	1.82	2.23	.86	.59	73
Missouri	.92	1.84	2.21	1.22	.70	103
Montana	.96	2.03	2.21	1.00	.67	78
Nebraska	1.22	2.26	2.53	1.13	.75	102
Nevada	1.00	1.95	2.12	.95	.62	82
New Hampshire	1.14	2.06	2.30	1.12	.57	77
New Jersey	1.12	2.32	2.30	.88	.51	120
New Mexico	1.10	1.98	2.32	1.14	.74	92
New York	1.08	2.10	2.40	1.13	.62	144
North Carolina	.91	1.82	2.28	1.16	.64	116
North Dakota	.90	1.99	2.19	1.10	.58	80
Ohio	.97	1.99	2.24	1.07	.73	120
Oklahoma	1.19	1.97	2.19	1.22	.61	74
Oregon	.85	1.88	2.15	1.24	.75	107
Pennsylvania	.93	2.06	2.05	1.02	.61	102
Rhode Island	.71	1.78	1.92	.90	.57	49
South Carolina	1.04	1.83	2.20	.81	.64	89
South Dakota	.89	2.17	2.13	1.01	.69	94
Tennessee	.95	1.76	2.12	.94	.62	119
Texas	.96	1.94	2.17	1.09	.58	104
Utah	1.10	2.29	2.15	1.03	.68	73
Vermont	1.20	2.37	2.39	1.27	.63	41
Virginia	.99	1.99	2.09	1.05	.58	113
Washington	.97	2.18	2.30	.83	.66	115
West Virginia	.97	1.77	2.17	1.38	.89	66
Wisconsin	.98	2.32	2.42	.98	.80	120
	.75	1.75	1.95	.91	.75	44
NATIONAL AVERAGES	1.00	2.02	2.24	1.07	.68	UNWEIGHED
	.99	2.04	2.23	1.05	.66	WEIGHED

TYPES OF CONDITIONS - Survey Page 7

STATE	HEMATOLOGICAL/LYMPHATIC					Number Reporting
	anemia	immunological disorder	hereditary disorder	polycythemia	cancer of marrow or lymphatic system	
Alabama	1.46	1.08	.77	.41	.37	104
Alaska	1.40	1.35	.73	.38	.31	52
Arizona	1.36	1.44	.81	.42	.42	103
Arkansas	1.58	1.24	.82	.49	.40	89
California	1.35	1.04	.70	.31	.28	229
Colorado	1.61	1.40	.78	.42	.37	112
Connecticut	1.36	1.02	.69	.38	.31	106
Delaware	1.42	1.15	.64	.39	.30	33
D.C.	1.00	1.29	.86	.29	.57	7
Florida	1.42	1.03	.82	.51	.43	144
Georgia	1.28	.98	.84	.38	.36	86
Hawaii	1.32	1.04	.69	.23	.27	71
Idaho	1.53	1.27	.81	.41	.37	90
Illinois	1.54	1.08	.64	.35	.39	112
Indiana	1.56	1.29	.85	.50	.40	112
Iowa	1.56	.99	.75	.42	.45	71
Kansas	1.32	1.08	.71	.44	.41	97
Kentucky	1.31	1.09	.72	.43	.37	86
Louisiana	1.13	.88	.63	.33	.30	91
Maine	1.39	.95	.57	.26	.28	61
Maryland	1.40	.92	.68	.32	.34	92
Massachusetts	1.42	1.20	.79	.32	.30	125
Michigan	1.32	1.03	.60	.32	.41	114
Minnesota	1.05	.90	.55	.24	.30	125
Mississippi	1.11	.86	.75	.42	.32	73
Missouri	1.50	1.18	.75	.43	.41	103
Montana	1.19	1.00	.73	.42	.37	78
Nebraska	1.47	1.17	.87	.50	.45	102
Nevada	1.32	1.17	.67	.33	.29	82
New Hampshire	1.25	1.03	.73	.30	.32	77
New Jersey	1.36	1.14	.71	.33	.27	120
New Mexico	1.43	1.37	.76	.41	.35	92
New York	1.32	1.06	.63	.40	.37	144
North Carolina	1.30	1.04	.63	.35	.37	116
North Dakota	1.26	.84	.59	.33	.40	80
Ohio	1.33	.96	.73	.38	.35	120
Oklahoma	1.70	1.22	.73	.39	.35	74
Oregon	1.36	1.22	.71	.29	.38	107
Pennsylvania	1.27	1.01	.59	.25	.28	102
Rhode Island	1.43	1.10	.63	.37	.35	49
South Carolina	1.03	.80	.56	.27	.31	89
South Dakota	1.37	1.12	.69	.44	.46	94
Tennessee	1.22	.87	.72	.36	.36	119
Texas	1.36	1.00	.76	.31	.30	104
Utah	1.60	1.32	.67	.41	.36	73
Vermont	1.41	1.39	.78	.32	.49	41
Virginia	1.28	.92	.55	.26	.29	113
Washington	1.38	1.01	.72	.31	.37	115
West Virginia	1.33	.80	.82	.38	.45	66
Wisconsin	1.51	1.21	.84	.50	.37	120
Wyoming	1.27	.98	.89	.41	.43	44
NATIONAL AVERAGES	1.37	1.08	.71	.37	.36	UNWEIGHED
	1.36	1.07	.71	.36	.35	WEIGHED

TYPES OF CONDITIONS - Survey Page 8

STATE	ENDOCRINE/METABOLIC							Number Reporting
	obesity	thyroid or parathyroid disorder	adrenal disorder	pituitary disorder	thymus or pineal disorder	diabetes	endocrine tumor	
Alabama	2.64	1.59	1.28	.83	.66	1.90	.33	104
Alaska	2.94	1.69	1.54	.88	.83	2.08	.37	52
Arizona	2.63	1.71	1.56	.84	.64	2.09	.33	103
Arkansas	2.68	1.57	1.37	.84	.63	1.80	.34	90
California	2.48	1.43	1.07	.60	.52	1.73	.28	229
Colorado	2.61	1.69	1.66	.88	.68	1.84	.26	111
Connecticut	2.46	1.49	1.03	.58	.47	1.83	.26	106
Delaware	2.67	1.48	1.18	.79	.58	2.12	.36	33
D.C.	2.14	1.71	1.29	.86	.71	1.43	.57	7
Florida	2.59	1.54	1.16	.77	.61	1.98	.33	145
Georgia	2.76	1.66	1.24	.78	.59	1.93	.31	85
Hawaii	2.67	1.37	1.06	.56	.46	1.74	.29	70
Idaho	2.71	1.87	1.49	.81	.71	1.92	.40	90
Illinois	2.76	1.63	1.23	.70	.53	1.92	.21	112
Indiana	2.88	1.82	1.47	.85	.75	2.17	.38	112
Iowa	2.86	1.61	1.24	.75	.68	2.27	.48	71
Kansas	2.64	1.51	1.35	.74	.64	1.86	.35	98
Kentucky	2.55	1.55	.93	.55	.40	1.92	.21	85
Louisiana	2.40	1.24	.99	.58	.53	1.71	.29	90
Maine	2.43	1.20	1.08	.59	.43	1.51	.26	61
Maryland	2.77	1.61	.98	.50	.30	1.88	.29	92
Massachusetts	2.71	1.57	1.13	.63	.47	2.02	.23	126
Michigan	2.52	1.54	1.16	.69	.58	1.96	.33	113
Minnesota	2.69	1.44	.83	.52	.37	1.76	.29	125
Mississippi	2.42	1.54	1.17	.82	.60	1.90	.35	72
Missouri	2.51	1.55	1.32	.85	.71	1.94	.46	103
Montana	2.79	1.76	1.38	.82	.55	1.87	.37	78
Nebraska	2.99	1.77	1.37	.85	.63	2.05	.37	102
Nevada	2.61	1.54	1.29	.79	.63	1.78	.28	82
New Hampshire	2.45	1.67	1.10	.64	.55	1.79	.33	78
New Jersey	2.39	1.57	1.06	.68	.47	1.90	.31	118
New Mexico	2.37	1.80	1.54	1.00	.84	1.83	.36	92
New York	2.59	1.57	1.11	.63	.44	1.84	.30	142
North Carolina	2.72	1.59	1.37	.78	.67	1.94	.41	116
North Dakota	2.74	1.65	1.10	.74	.53	2.00	.34	80
Ohio	2.76	1.54	1.08	.69	.55	2.02	.21	121
Oklahoma	2.72	1.76	1.49	.99	.89	2.07	.43	75
Oregon	2.82	1.75	1.46	.80	.69	1.85	.29	107
Pennsylvania	2.47	1.43	1.03	.59	.38	1.92	.27	102
Rhode Island	2.57	1.51	1.16	.73	.49	1.82	.29	49
South Carolina	2.46	1.38	1.09	.73	.54	1.99	.39	89
South Dakota	2.88	1.72	1.12	.65	.60	2.14	.35	95
Tennessee	2.67	1.50	1.11	.72	.53	1.90	.29	119
Texas	2.60	1.44	1.31	.74	.61	1.81	.34	102
Utah	2.82	1.71	1.62	.95	.84	1.88	.37	73
Vermont	2.63	1.73	1.32	.88	.71	1.85	.44	41
Virginia	2.69	1.50	1.02	.54	.35	1.81	.19	113
Washington	2.72	1.53	1.09	.63	.48	1.89	.29	114
West Virginia	2.98	1.63	1.09	.71	.52	2.26	.40	65
Wisconsin	2.83	1.68	1.25	.78	.66	2.13	.35	122
Wyoming	2.45	1.55	1.16	.73	.57	1.82	.34	44
NATIONAL AVERAGES	2.65	1.58	1.21	.72	.57	1.91	.32	UNWEIGHTED
	2.61	1.54	1.17	.69	.54	1.90	.31	WEIGHTED

TYPES OF CONDITIONS - Survey Page 8

STATE	CHILDHOOD DISORDERS						Number Reporting
	upper respiratory or ear infection	measles/German measles	mumps	chickenpox	whooping cough	parasitic	
Alabama	2.24	.50	.46	.61	.39	.44	104
Alaska	2.50	.54	.46	.67	.40	.71	52
Arizona	2.34	.53	.42	.62	.37	.43	103
Arkansas	2.12	.41	.40	.54	.41	.59	90
California	1.79	.48	.45	.60	.28	.44	229
Colorado	2.41	.64	.60	.77	.34	.57	111
Connecticut	1.80	.36	.28	.46	.25	.26	106
Delaware	2.12	.67	.67	.76	.48	.21	33
D.C.	1.43	.43	.29	.43	.29	.29	7
Florida	1.86	.49	.39	.53	.32	.46	145
Georgia	2.40	.56	.53	.71	.47	.35	85
Hawaii	1.97	.54	.43	.54	.29	.44	70
Idaho	2.20	.52	.40	.62	.29	.60	90
Illinois	2.03	.46	.35	.48	.31	.35	112
Indiana	2.30	.54	.50	.69	.43	.63	112
Iowa	2.55	.51	.45	.68	.35	.42	71
Kansas	2.05	.49	.41	.57	.32	.40	98
Kentucky	2.18	.47	.35	.58	.40	.38	85
Louisiana	2.00	.48	.49	.52	.41	.48	90
Maine	2.05	.43	.33	.56	.38	.41	61
Maryland	1.85	.36	.26	.40	.25	.16	92
Massachusetts	2.02	.48	.37	.62	.37	.34	126
Michigan	2.29	.60	.50	.61	.43	.39	113
Minnesota	2.20	.25	.26	.40	.26	.34	125
Mississippi	2.04	.51	.50	.63	.57	.49	72
Missouri	1.97	.55	.49	.61	.36	.52	103
Montana	2.05	.33	.29	.49	.26	.45	78
Nebraska	2.48	.45	.38	.66	.41	.55	102
Nevada	1.91	.37	.28	.46	.33	.29	82
New Hampshire	2.10	.51	.40	.58	.40	.28	78
New Jersey	2.20	.54	.41	.59	.37	.28	118
New Mexico	2.09	.57	.46	.61	.37	.64	92
New York	1.95	.46	.37	.54	.31	.27	142
North Carolina	2.02	.47	.44	.51	.36	.42	116
North Dakota	2.28	.54	.48	.53	.29	.40	80
Ohio	2.02	.43	.41	.51	.33	.37	121
Oklahoma	2.12	.60	.48	.63	.47	.56	75
Oregon	1.89	.40	.32	.48	.20	.39	107
Pennsylvania	2.07	.51	.39	.55	.35	.34	102
Rhode Island	1.78	.59	.37	.51	.27	.35	49
South Carolina	2.03	.56	.46	.54	.36	.42	89
South Dakota	2.35	.32	.34	.54	.29	.45	95
Tennessee	2.06	.45	.45	.54	.32	.40	119
Texas	2.01	.53	.45	.55	.37	.40	102
Utah	2.25	.63	.59	.71	.37	.64	73
Vermont	2.39	.85	.56	.83	.54	.68	41
Virginia	1.90	.38	.27	.41	.17	.24	113
Washington	2.34	.51	.48	.75	.44	.45	114
West Virginia	2.02	.54	.45	.51	.34	.37	65
Wisconsin	2.63	.65	.58	.76	.48	.43	122
Wyoming	1.89	.50	.36	.50	.27	.52	44
NATIONAL AVERAGES	2.11	.49	.42	.58	.35	.42	UNWEIGHTED
	2.06	.49	.42	.58	.34	.40	WEIGHTED

TYPES OF CONDITIONS - Survey Page 8

STATE	VENEREAL					Number Reporting
	herpes II	gonorrhea	chlamydia	venerael warts	syphilis	
Alabama	.28	.12	.17	.14	.06	104
Alaska	.56	.13	.35	.27	.06	52
Arizona	.41	.12	.28	.17	.08	103
Arkansas	.37	.11	.17	.16	.08	90
California	.50	.16	.28	.25	.07	229
Colorado	.67	.13	.26	.27	.05	111
Connecticut	.51	.16	.28	.23	.12	106
Delaware	.36	.12	.21	.12	.15	33
D.C.	.57	.29	.43	.43	.29	7
Florida	.57	.19	.34	.28	.17	145
Georgia	.47	.15	.20	.18	.09	85
Hawaii	.60	.19	.19	.16	.16	70
Idaho	.39	.13	.20	.22	.10	90
Illinois	.29	.16	.19	.21	.10	112
Indiana	.43	.17	.30	.22	.13	112
Iowa	.27	.08	.20	.17	.03	71
Kansas	.24	.09	.17	.11	.05	98
Kentucky	.26	.13	.20	.14	.05	85
Louisiana	.37	.11	.14	.17	.09	90
Maine	.43	.15	.26	.25	.08	61
Maryland	.33	.16	.24	.26	.11	92
Massachusetts	.41	.17	.30	.21	.13	126
Michigan	.41	.10	.20	.12	.03	113
Minnesota	.29	.10	.22	.18	.02	125
Mississippi	.26	.11	.17	.10	.06	72
Missouri	.40	.15	.36	.27	.07	103
Montana	.36	.08	.22	.21	.05	78
Nebraska	.35	.14	.22	.20	.10	102
Nevada	.44	.13	.17	.12	.06	82
New Hampshire	.49	.17	.31	.18	.08	78
New Jersey	.28	.05	.19	.12	.03	118
New Mexico	.61	.14	.33	.24	.05	92
New York	.49	.08	.21	.25	.06	142
North Carolina	.44	.18	.23	.16	.09	116
North Dakota	.21	.09	.16	.15	.05	80
Ohio	.41	.15	.31	.27	.11	121
Oklahoma	.47	.12	.25	.24	.07	75
Oregon	.51	.12	.37	.33	.09	107
Pennsylvania	.23	.07	.13	.12	.03	102
Rhode Island	.29	.16	.22	.24	.06	49
South Carolina	.25	.15	.21	.19	.12	89
South Dakota	.18	.06	.16	.07	.04	95
Tennessee	.36	.13	.20	.19	.10	119
Texas	.34	.10	.20	.19	.10	102
Utah	.41	.16	.22	.15	.04	73
Vermont	.68	.22	.39	.39	.15	41
Virginia	.41	.12	.21	.18	.04	113
Washington	.41	.12	.22	.12	.13	114
West Virginia	.32	.12	.23	.12	.08	65
Wisconsin	.40	.16	.30	.20	.11	122
Wyoming	.43	.14	.16	.27	.10	44
NATIONAL AVERAGES	.40	.13	.24	.20	.08	UNWEIGHTED
	.41	.13	.24	.20	.08	WEIGHTED

TYPES OF CONDITIONS - Survey Page 8

STATE	EENT					Number Reporting
	eye or vision disorder	ear or hearing disorder	disorder of nose or sense of smell	disorder of throat or larynx	tumor of eye, ear, nose or throat	
Alabama	1.81	2.00	1.35	1.42	.30	104
Alaska	1.92	1.96	1.21	1.31	.38	52
Arizona	1.96	2.03	1.18	1.37	.41	103
Arkansas	1.68	1.70	1.14	1.14	.29	90
California	1.62	1.49	.90	1.04	.22	229
Colorado	1.87	1.77	1.01	1.17	.25	111
Connecticut	1.70	1.54	.80	.85	.35	106
Delaware	1.76	1.70	1.18	1.42	.30	33
D.C.	1.14	1.43	1.00	1.14	.29	7
Florida	1.97	1.98	1.02	1.11	.32	145
Georgia	1.65	1.66	1.11	1.15	.34	85
Hawaii	1.74	1.69	.83	.96	.21	70
Idaho	1.86	1.92	1.07	1.21	.40	90
Illinois	1.65	1.76	1.11	1.17	.21	112
Indiana	1.96	2.00	1.28	1.36	.38	112
Iowa	2.21	2.21	1.21	1.23	.38	71
Kansas	1.74	1.81	1.13	1.19	.33	98
Kentucky	1.84	1.82	1.27	1.38	.34	85
Louisiana	1.58	1.58	1.03	1.10	.30	90
Maine	1.36	1.38	.84	.93	.26	61
Maryland	1.63	1.64	.88	.98	.25	92
Massachusetts	1.75	1.63	.94	.96	.26	126
Michigan	1.78	1.88	1.11	1.21	.30	113
Minnesota	1.68	1.75	.98	1.18	.23	125
Mississippi	1.50	1.57	1.18	1.11	.29	72
Missouri	1.71	1.65	1.04	1.20	.37	103
Montana	1.88	1.81	1.09	1.37	.36	78
Nebraska	2.11	2.05	1.28	1.38	.46	102
Nevada	1.78	1.71	.96	1.18	.22	82
New Hampshire	1.69	1.73	1.05	1.23	.27	78
New Jersey	1.58	1.66	.98	.95	.18	118
New Mexico	1.68	1.72	1.20	1.38	.27	92
New York	1.61	1.66	1.03	1.16	.25	142
North Carolina	1.63	1.72	.88	1.07	.28	116
North Dakota	1.75	1.99	1.11	1.16	.26	80
Ohio	1.94	1.90	1.05	1.19	.30	121
Oklahoma	1.81	1.85	1.09	1.24	.25	75
Oregon	1.84	1.81	1.01	1.16	.33	107
Pennsylvania	1.58	1.72	.84	.96	.27	102
Rhode Island	1.55	1.61	.82	.73	.22	49
South Carolina	1.72	1.72	1.12	1.15	.30	89
South Dakota	1.89	2.04	1.12	1.31	.31	95
Tennessee	1.71	1.73	1.05	1.30	.29	119
Texas	1.73	1.73	1.19	1.26	.26	102
Utah	1.67	1.66	1.05	1.15	.32	73
Vermont	1.98	1.90	1.15	1.34	.20	41
Virginia	1.56	1.53	.75	.86	.22	113
Washington	1.91	1.92	1.09	1.22	.25	114
West Virginia	1.89	1.77	1.09	1.20	.31	65
Wisconsin	2.02	2.02	1.24	1.40	.41	122
Wyoming	1.82	1.84	1.07	1.16	.27	44
NATIONAL AVERAGES	1.76	1.77	1.05	1.17	.29	UNWEIGHTED
	1.74	1.74	1.03	1.14	.28	WEIGHTED

TYPES OF CONDITIONS - Survey Page 8

STATE	MISCELLANEOUS					Number Reporting
	allergies	nutritional disorders	eating disorders	psychological disorders	AIDS-related complex	
Alabama	2.98	2.48	1.82	1.79	.21	104
Alaska	2.92	2.48	2.17	1.79	.31	52
Arizona	3.17	2.54	2.06	1.99	.29	103
Arkansas	2.82	2.50	1.93	1.81	.20	90
California	2.69	2.21	1.78	1.90	.41	229
Colorado	3.05	2.79	1.65	1.81	.32	111
Connecticut	2.57	2.17	1.60	1.79	.35	106
Delaware	2.73	2.21	1.76	1.64	.45	33
D.C.	2.57	1.71	1.43	1.86	1.71	7
Florida	2.80	2.49	1.91	1.96	.46	145
Georgia	3.05	2.45	1.85	1.85	.42	85
Hawaii	2.59	2.09	1.41	1.76	.56	70
Idaho	2.87	2.57	1.90	1.84	.13	90
Illinois	2.85	2.54	1.70	1.76	.29	112
Indiana	3.04	2.51	1.94	1.83	.29	112
Iowa	2.93	2.21	1.75	1.65	.18	71
Kansas	2.94	2.55	1.87	1.60	.21	98
Kentucky	2.91	2.40	1.61	1.75	.19	85
Louisiana	2.76	2.18	1.72	1.66	.29	90
Maine	2.69	2.31	1.52	1.64	.28	61
Maryland	2.73	2.04	1.60	1.64	.42	92
Massachusetts	2.88	2.25	1.74	1.89	.52	126
Michigan	2.95	2.53	1.80	1.75	.15	113
Minnesota	2.60	2.13	1.54	1.63	.20	125
Mississippi	2.86	2.01	1.82	1.71	.21	72
Missouri	2.92	2.49	1.64	1.80	.28	103
Montana	2.81	2.41	1.78	1.81	.13	78
Nebraska	3.08	2.72	2.05	1.88	.23	102
Nevada	2.91	2.68	1.79	1.74	.28	82
New Hampshire	2.81	2.09	1.63	1.86	.28	78
New Jersey	2.92	2.19	1.58	1.75	.30	118
New Mexico	3.04	2.59	1.79	1.82	.42	92
New York	2.99	2.38	1.78	1.87	.44	142
North Carolina	2.75	2.41	1.63	1.75	.26	116
North Dakota	2.66	2.13	1.53	1.53	.09	80
Ohio	2.78	2.19	1.67	1.80	.21	121
Oklahoma	3.13	2.73	1.97	1.84	.23	75
Oregon	2.68	2.60	1.80	1.93	.35	107
Pennsylvania	2.86	2.15	1.51	1.68	.18	102
Rhode Island	2.69	2.10	1.41	1.49	.31	49
South Carolina	2.87	1.98	1.69	1.67	.28	89
South Dakota	2.83	2.35	1.55	1.57	.05	95
Tennessee	2.92	2.20	1.77	1.74	.26	119
Texas	3.04	2.48	2.07	1.89	.30	102
Utah	2.73	2.45	1.93	1.95	.27	73
Vermont	3.00	2.44	1.80	2.07	.39	41
Virginia	2.77	2.33	1.65	1.75	.35	113
Washington	2.91	2.15	1.68	1.76	.25	114
West Virginia	2.83	2.35	1.88	1.86	.15	65
Wisconsin	2.94	2.43	1.72	1.93	.29	122
Wyoming	2.48	2.07	1.64	1.70	.16	44
NATIONAL AVERAGES	2.86	2.36	1.75	1.79	.29	UNWEIGHTED
	2.86	2.34	1.75	1.81	.32	WEIGHTED