

## TREATMENT PROCEDURES (Survey Pages 14 -15)

In the **TREATMENT PROCEDURES** section of the Survey of Chiropractic Practice, participants were asked to indicate what **primary technique approach** they use in their practices, and whether they had used any of the listed **adjustive techniques** and **non-adjustive techniques** in their practices during the previous two years.

Responses appear by state on this and the following two pages.

On a national basis, results indicated that only four of the 20 adjustive techniques listed were used by a majority of practitioners. These techniques were Diversified, Gonstead, Cox, and Activator. All other techniques were used by 43% or fewer respondents.

Results also indicated that approximately two-thirds or more of the respondents utilized 12 of the 25 non-adjustive techniques, with Corrective/Therapeutic Exercises heading the list. Data also indicated that the responding practitioners supplement their adjustive techniques with an average of 12.3 supportive or non-adjustive techniques.

Responses to treatment technique and procedures are reported in **percentages** on pages 91-97. National averages are reported in both unweighted and weighted percentages.

STATE	PRIMARY TECHNIQUE (BY PERCENT)			Number Reporting
	Upper Cervical	Full Spine	Other	
Alabama	4.2	90.6	5.2	96
Alaska	0	85.7	14.3	49
Arizona	2.0	93.0	5.0	100
Arkansas	1.2	94.2	4.7	86
California	1.4	90.6	8.0	213
Colorado	0	97.2	2.8	107
Connecticut	0	93.1	6.9	101
Delaware	0	100.0	0	32
D.C.	0	100.0	0	8
Florida	2.2	92.5	5.2	134
Georgia	2.4	96.4	1.2	83
Hawaii	3.0	97.0	0	67
Idaho	1.2	91.4	7.4	81
Illinois	0	93.4	6.6	106
Indiana	1.0	96.0	3.0	101
Iowa	0	100.0	0	67
Kansas	2.2	95.7	2.2	93
Kentucky	2.5	96.3	1.2	81
Louisiana	0	95.2	4.8	83
Maine	0	91.1	8.9	56
Maryland	1.1	90.9	8.0	88
Massachusetts	0	90.3	9.7	124
Michigan	.9	98.2	.9	109
Minnesota	.8	89.4	9.8	123
Mississippi	1.5	97.0	1.5	66
Missouri	4.2	92.7	3.1	96
Montana	0	94.3	5.7	70
Nebraska	3.1	95.8	1.0	96
Nevada	1.3	95.0	3.8	80
New Hampshire	2.8	93.1	4.2	72
New Jersey	2.5	94.1	3.4	118
New Mexico	1.2	95.2	3.6	84
New York	1.5	92.0	6.6	137
North Carolina	.9	98.2	.9	111
North Dakota	0	94.7	5.3	75
Ohio	2.6	93.9	3.5	115
Oklahoma	2.9	97.1	0	68
Oregon	2.9	88.3	8.7	103
Pennsylvania	3.0	92.9	4.0	99
Rhode Island	0	97.9	2.1	47
South Carolina	3.7	92.7	3.7	82
South Dakota	2.2	91.2	6.6	91
Tennessee	0	95.7	4.3	117
Texas	3.1	94.9	2.0	98
Utah	0	98.6	1.4	71
Vermont	0	92.1	7.9	38
Virginia	0	97.3	2.7	110
Washington	2.6	93.1	4.3	116
West Virginia	0	95.1	4.9	61
Wisconsin	1.8	92.9	5.4	112
Wyoming	2.4	95.1	2.4	41
NAT'L AVG (%)	1.5	93.9	4.6	UNWEIGHTED
	1.7	93.3	5.0	WEIGHTED

TREATMENT PROCEDURES - Survey Page 14

STATE	ADJUSTIVE TECHNIQUE (BY PERCENT)						
	Activator	Applied kinesiology	Barge	Cox/Flexion Distraction	Cranial	Diversified	Gonstead
Alabama	49.5	30.7	9.9	48.5	16.8	91.1	65.3
Alaska	71.2	51.9	5.8	48.1	36.5	92.3	80.8
Arizona	62.4	45.5	4.0	44.6	32.7	94.1	78.2
Arkansas	61.4	39.8	0	46.6	23.9	94.3	56.8
California	55.4	35.3	1.3	51.8	33.0	92.4	56.7
Colorado	62.0	49.1	2.8	57.4	42.6	93.5	49.1
Connecticut	42.7	45.6	1.9	76.7	30.1	94.2	39.8
Delaware	51.5	42.4	3.0	69.7	33.3	90.9	54.5
D.C.	75.0	25.0	0	50.0	25.0	100.0	62.5
Florida	51.4	44.4	4.2	54.2	25.4	95.1	59.9
Georgia	53.6	34.5	8.3	52.4	27.4	89.3	78.6
Hawaii	65.7	50.0	0	70.0	48.6	95.7	54.3
Idaho	69.3	37.5	3.4	65.9	30.7	95.5	53.4
Illinois	40.7	28.7	1.9	58.3	19.4	93.5	44.4
Indiana	47.7	45.9	6.4	56.0	27.5	90.8	49.5
Iowa	45.5	36.4	10.6	31.8	28.8	92.4	69.7
Kansas	45.3	37.9	3.2	33.7	22.1	85.3	60.0
Kentucky	39.8	28.9	9.6	54.2	22.9	88.0	62.7
Louisiana	55.1	30.3	4.5	59.6	18.0	92.1	64.0
Maine	54.2	52.5	6.8	42.4	27.1	88.1	45.8
Maryland	36.0	33.7	3.4	71.9	27.0	95.5	36.0
Massachusetts	59.1	35.4	1.6	58.3	33.9	90.6	45.7
Michigan	47.3	40.0	13.6	54.5	22.7	93.6	65.5
Minnesota	62.1	29.8	1.6	49.2	25.8	92.7	54.8
Mississippi	63.9	37.5	4.2	51.4	19.4	93.1	72.2
Missouri	59.0	39.0	5.0	30.0	24.0	93.0	44.0
Montana	62.2	25.7	0	58.1	24.3	87.8	59.5
Nebraska	54.5	34.7	4.0	47.5	20.8	87.1	71.3
Nevada	66.7	51.9	4.9	65.4	40.7	96.3	55.6
New Hampshire	36.0	42.7	6.7	37.3	22.7	93.3	45.3
New Jersey	52.1	32.8	5.9	66.4	21.0	92.4	53.8
New Mexico	59.1	58.0	6.8	31.8	46.6	90.9	52.3
New York	43.1	44.5	4.4	63.5	35.0	94.9	40.9
North Carolina	60.4	45.0	4.5	55.9	31.5	93.7	46.8
North Dakota	55.1	51.3	2.6	39.7	32.1	91.0	69.2
Ohio	51.3	41.2	4.2	67.2	26.9	95.8	59.7
Oklahoma	55.1	56.5	2.9	33.3	27.5	91.3	53.6
Oregon	54.7	29.2	0	50.9	40.6	87.7	56.6
Pennsylvania	35.6	31.7	5.0	55.4	20.8	96.0	54.5
Rhode Island	38.8	51.0	0	61.2	22.4	93.9	30.6
South Carolina	57.1	29.8	1.2	42.9	17.9	92.9	72.6
South Dakota	50.5	40.7	5.5	54.9	26.4	91.2	58.2
Tennessee	63.3	43.3	10.0	53.3	20.0	95.8	70.0
Texas	61.9	38.1	2.1	51.5	20.6	91.8	42.3
Utah	57.5	42.5	0	68.5	37.0	95.9	54.8
Vermont	61.0	43.9	0	53.7	36.6	90.2	41.5
Virginia	59.5	37.8	2.7	71.2	33.3	98.2	48.6
Washington	67.3	44.5	6.4	44.5	28.2	89.1	71.8
West Virginia	50.8	29.2	4.6	60.0	20.0	95.4	66.2
Wisconsin	43.1	27.6	8	38.8	19.8	82.8	66.4
Wyoming	40.9	47.7	.0	45.5	27.3	95.5	54.5
NATIONAL AVERAGES (%)	53.8	39.4	4.2	53.4	27.9	92.4	56.7
	51.2	37.2	4.1	52.7	27.2	91.1	54.8

TREATMENT PROCEDURES - Survey Page 14

STATE	ADJUSTIVE TECHNIQUE (CONT.)						
	Grostick	Life upper cervical	Logan Basic	Meric	NIMMO/Tonus Receptor	NUCCA	Palmer upper cervical/HIO
Alabama	14.9	1.0	31.7	27.1	30.2	1.0	42.7
Alaska	1.9	1.9	26.9	16.0	40.0	0	28.0
Arizona	5.0	1.0	26.7	26.6	46.8	2.1	39.4
Arkansas	3.4	0	22.7	27.3	41.6	0	26.0
California	1.3	1.3	18.3	25.1	37.4	1.1	18.2
Colorado	1.9	.9	37.0	15.3	68.4	1.0	22.4
Connecticut	1.9	2.9	37.9	13.1	66.7	0	13.1
Delaware	3.0	3.0	36.4	16.7	46.7	3.3	36.7
D.C.	0	0	0	25.0	37.5	0	50.0
Florida	5.6	3.5	33.1	26.7	45.0	1.5	31.3
Georgia	11.9	3.6	32.1	24.0	21.3	2.7	41.3
Hawaii	5.7	4.3	40.0	20.0	61.7	1.7	26.7
Idaho	2.3	0	31.8	7.8	55.8	1.3	22.1
Illinois	0	0	29.6	39.8	48.4	0	17.2
Indiana	2.8	.9	22.0	25.8	46.1	0	32.6
Iowa	1.5	1.5	28.8	32.8	56.9	1.7	37.9
Kansas	2.1	1.1	14.7	45.6	41.8	1.3	16.5
Kentucky	6.0	4.8	31.3	38.4	49.3	1.4	39.7
Louisiana	2.2	3.4	22.5	30.5	43.9	0	30.5
Maine	1.7	0	47.5	14.6	62.5	0	25.0
Maryland	0	3.4	36.0	29.7	62.2	0	23.0
Massachusetts	2.4	2.4	29.9	21.1	60.6	0	28.4
Michigan	9.1	2.7	40.9	33.3	49.5	4.0	47.5
Minnesota	1.6	.8	40.3	30.2	54.7	.9	9.4
Mississippi	8.3	2.8	34.7	39.7	19.0	0	39.7
Missouri	4.0	2.0	33.0	56.7	42.2	0	14.4
Montana	2.7	1.4	21.6	32.8	53.4	1.7	17.2
Nebraska	3.0	0	28.7	28.2	47.1	2.4	18.8
Nevada	3.7	2.5	25.9	18.9	52.7	5.4	23.0
New Hampshire	5.3	4.0	32.0	30.9	36.8	0	39.7
New Jersey	4.2	3.4	37.8	20.0	43.8	2.9	40.0
New Mexico	4.5	2.3	36.4	39.0	31.7	2.4	37.8
New York	1.5	4.4	48.9	35.2	57.6	0	45.6
North Carolina	2.7	2.7	37.8	27.0	53.0	0	24.0
North Dakota	0	0	24.4	21.7	58.0	0	15.9
Ohio	5.0	1.7	34.5	20.5	51.8	5.4	23.2
Oklahoma	7.2	2.9	30.4	49.2	39.0	5.1	27.1
Oregon	4.7	0	35.8	20.2	61.7	5.3	17.0
Pennsylvania	2.0	2.0	29.7	16.7	37.8	5.6	44.4
Rhode Island	2.0	2.0	30.6	17.1	73.2	0	12.2
South Carolina	6.0	3.6	31.0	12.5	22.5	0	51.3
South Dakota	2.2	0	28.6	30.8	56.4	1.3	17.9
Tennessee	3.3	.8	25.8	22.7	42.7	.9	36.4
Texas	6.2	2.1	19.6	24.1	54.2	3.6	21.7
Utah	5.5	2.7	39.7	25.0	63.3	3.3	21.7
Vermont	4.9	4.9	31.7	11.4	37.1	0	22.9
Virginia	1.8	0	27.9	20.0	56.0	1.0	28.0
Washington	3.6	0	30.0	20.8	43.6	1.0	38.6
West Virginia	1.5	1.5	30.8	28.6	48.2	0	32.1
Wisconsin	4.3	0	42.2	27.0	48.0	2.0	41.0
Wyoming	2.3	0	36.4	28.2	69.2	0	23.1
NATIONAL AVERAGES (%)	3.8	1.8	31.4	26.5	48.3	1.5	28.9
	3.4	2.0	30.6	23.4	40.3	1.5	26.0

TREATMENT PROCEDURES - Survey Page 14

STATE	ADJUSTIVE TECHNIQUE (CONT.)						Number Reporting
	Pettibon	Pierce-Stillwagon	SOT	Thompson	Toftness	Other	
Alabama	3.1	24.0	31.3	69.8	3.1	30.2	96
Alaska	42.0	24.0	54.0	58.0	12.0	30.0	50
Arizona	11.7	31.9	44.7	58.5	4.3	19.1	94
Arkansas	1.3	13.0	42.9	58.4	1.3	22.1	77
California	10.2	10.2	54.0	39.6	3.7	20.9	187
Colorado	12.2	19.4	52.0	54.1	4.1	18.4	98
Connecticut	2.4	14.3	64.3	34.5	0	10.7	84
Delaware	23.3	36.7	60.0	60.0	3.3	13.3	30
D.C.	0	12.5	62.5	50.0	0	25.0	8
Florida	4.6	28.2	58.0	58.8	2.3	18.3	131
Georgia	10.7	37.3	48.0	74.7	1.3	20.0	75
Hawaii	18.3	38.3	61.7	55.0	10.0	23.3	60
Idaho	11.7	28.6	50.6	45.5	5.2	20.8	77
Illinois	0	9.7	35.5	45.2	5.4	10.8	93
Indiana	6.7	19.1	33.7	44.9	5.6	31.5	89
Iowa	5.2	25.9	34.5	60.3	12.1	24.1	58
Kansas	2.5	8.9	29.1	44.3	1.3	10.1	79
Kentucky	4.1	24.7	37.0	57.5	6.8	8.2	73
Louisiana	11.0	12.2	37.8	47.6	1.2	15.9	82
Maine	10.4	37.5	58.3	43.8	2.1	10.4	48
Maryland	9.5	16.2	47.3	37.8	0	25.7	74
Massachusetts	3.7	23.9	64.2	41.3	2.8	15.6	109
Michigan	9.1	42.4	38.4	71.7	6.1	17.2	99
Minnesota	3.8	11.3	41.5	50.0	3.8	12.3	106
Mississippi	7.9	34.9	27.0	65.1	0	12.7	63
Missouri	0	8.9	28.9	38.9	1.1	23.3	90
Montana	10.3	13.8	29.3	41.4	5.2	12.1	58
Nebraska	8.2	30.6	42.4	47.1	1.2	16.5	85
Nevada	6.8	24.3	52.7	64.9	4.1	23.0	74
New Hampshire	16.2	33.8	42.6	41.2	4.4	17.6	68
New Jersey	7.6	27.6	61.0	45.7	3.8	14.3	105
New Mexico	15.9	22.0	57.3	47.6	3.7	25.6	82
New York	4.0	24.8	68.0	34.4	.8	19.2	125
North Carolina	13.0	26.0	43.0	40.0	1.0	15.0	100
North Dakota	8.7	13.0	39.1	71.0	4.3	7.2	69
Ohio	0	27.7	38.4	53.6	3.6	12.5	112
Oklahoma	0	15.3	30.5	45.8	5.1	22.0	59
Oregon	12.8	22.3	61.7	37.2	4.3	12.8	94
Pennsylvania	8.9	40.0	86.7	60.0	4.4	8.9	90
Rhode Island	0	2.4	48.8	26.8	0	17.1	41
South Carolina	11.3	48.8	40.0	73.8	5.0	13.8	80
South Dakota	2.6	20.5	30.8	47.4	2.6	16.7	78
Tennessee	9.1	25.5	39.1	67.3	1.8	12.7	110
Texas	4.8	10.8	32.5	41.0	1.2	19.3	83
Utah	6.7	21.7	45.0	46.7	3.3	15.0	60
Vermont	8.6	14.3	60.0	48.6	2.9	28.6	35
Virginia	5.0	22.0	49.0	54.0	0	15.0	100
Washington	17.8	31.7	40.6	54.5	15.8	22.8	101
West Virginia	3.6	21.4	39.3	58.9	0	14.3	56
Wisconsin	10.0	26.0	22.0	62.0	7.0	11.0	100
	7.7	17.9	38.5	56.4	2.6	33.3	39
NATIONAL AVERAGES (%)	8.0	23.2	45.0	51.4	3.7	17.6	UNWEIGHTED
	6.3	19.7	41.3	43.0	3.3	15.0	WEIGHTED

TREATMENT PROCEDURES - Survey Page 15

STATE	NON-ADJUSTIVE TECHNIQUE (BY PERCENT)								
	Acupressure/ meridian	Acupuncture	Bio- feedback	Bedrest	Bracing	Casting or taping	Therapeutic exercise	Diathermy	Direct Current
Alabama	57.8	7.8	4.9	87.3	92.2	48.0	96.1	34.3	33.3
Alaska	63.5	9.6	7.7	84.6	96.2	59.6	100.0	50.0	26.9
Arizona	72.0	21.0	3.0	87.0	92.0	46.0	98.0	22.0	30.0
Arkansas	74.4	18.9	5.6	88.9	94.4	50.0	98.9	42.2	28.9
California	69.3	5.8	9.8	76.4	92.9	56.9	97.8	34.2	29.3
Colorado	75.0	23.1	2.8	83.3	92.6	59.3	99.1	31.5	34.3
Connecticut	72.8	9.7	8.7	82.5	94.2	65.0	99.0	15.5	29.1
Delaware	78.1	15.6	12.5	75.0	93.8	46.9	100.0	21.9	28.1
D.C.	37.5	0	0	87.5	75.0	37.5	100.0	12.5	12.5
Florida	67.6	20.4	14.1	85.9	93.7	52.8	97.2	35.9	40.8
Georgia	54.2	3.6	3.6	84.3	92.8	32.5	94.0	24.1	20.5
Hawaii	69.6	13.0	10.1	75.4	97.1	39.1	100.0	8.7	20.3
Idaho	73.9	31.8	3.4	79.5	95.5	61.4	97.7	46.6	48.9
Illinois	74.8	49.5	5.6	86.0	98.1	58.9	98.1	34.6	32.7
Indiana	63.6	4.7	6.5	85.0	88.8	54.2	98.1	26.2	29.9
Iowa	60.9	5.8	11.6	87.0	91.3	55.1	92.8	24.6	26.1
Kansas	68.4	38.9	2.1	80.0	92.6	54.7	94.7	50.5	27.4
Kentucky	63.1	6.0	6.0	79.8	89.3	45.2	92.9	33.3	32.1
Louisiana	59.8	0	6.9	89.7	90.8	42.5	94.3	37.9	29.9
Maine	72.9	20.3	6.8	86.4	86.4	50.8	98.3	16.9	30.5
Maryland	65.2	7.9	6.7	84.3	95.5	49.4	97.8	24.7	37.1
Massachusetts	58.9	3.2	1.6	81.5	91.9	44.4	99.2	16.1	17.7
Michigan	62.6	.9	6.5	87.9	90.7	36.4	97.2	13.1	5.6
Minnesota	91.2	42.4	6.4	84.8	95.2	61.6	98.4	30.4	29.6
Mississippi	52.1	4.1	4.1	83.6	93.2	28.8	97.3	12.3	17.8
Missouri	57.0	23.0	9.0	85.0	88.0	42.0	96.0	39.0	35.0
Montana	68.4	9.2	6.6	84.2	97.4	57.9	98.7	26.3	31.6
Nebraska	69.7	11.1	2.0	75.8	92.9	64.6	98.0	24.2	24.2
Nevada	78.0	8.5	8.5	81.7	97.6	56.1	98.8	34.1	40.2
New Hampshire	54.8	8.2	9.6	79.5	83.6	38.4	97.3	13.7	20.5
New Jersey	64.7	6.7	5.0	84.0	89.1	38.7	95.0	13.4	23.5
New Mexico	65.9	15.9	8.0	78.4	92.0	48.9	94.3	23.9	23.9
New York	67.6	2.2	6.5	87.1	89.2	46.8	96.4	18.7	18.0
North Carolina	75.9	19.6	9.8	90.2	98.2	47.3	98.2	45.5	36.6
North Dakota	73.4	20.3	3.8	77.2	100.0	70.9	98.7	7.6	15.2
Ohio	62.4	3.4	7.7	88.0	94.0	58.1	99.1	35.9	29.9
Oklahoma	71.2	37.0	4.1	90.4	95.9	49.3	100.0	56.2	39.7
Oregon	71.7	4.7	9.4	82.1	95.3	63.2	99.1	20.8	42.5
Pennsylvania	66.0	7.0	5.0	81.0	87.0	40.0	99.0	16.0	26.0
Rhode Island	72.9	8.3	6.3	87.5	97.9	54.2	100.0	20.8	37.5
South Carolina	56.8	3.7	0	86.4	85.2	27.2	91.4	14.8	16.0
South Dakota	80.6	28.0	7.5	90.3	97.8	74.2	100.0	32.3	24.7
Tennessee	59.7	3.4	4.2	85.7	94.1	42.0	98.3	31.9	37.0
Texas	62.4	15.8	7.9	77.2	94.1	44.6	95.0	50.5	35.6
Utah	78.1	6.8	11.0	90.4	98.6	63.0	100.0	39.7	41.1
Vermont	63.4	24.4	0	75.6	92.7	46.3	92.7	19.5	29.3
Virginia	67.3	7.1	6.2	84.1	93.8	45.1	100.0	23.9	28.3
Washington	44.3	2.6	7.8	80.9	90.4	27.0	96.5	2.6	2.6
West Virginia	69.2	10.8	0	84.6	95.4	35.4	98.5	20.0	35.4
Wisconsin	58.5	3.4	5.1	88.1	90.7	44.9	97.5	3.4	11.0
Wyoming	70.5	13.6	4.5	79.5	93.2	68.2	97.7	34.1	27.3
<b>NATIONAL AVERAGES (%)</b>	66.9	13.0	6.4	83.7	92.9	49.9	97.5	27.2	28.2
	65.5	11.8	7.1	82.0	90.8	48.2	95.8	26.7	26.9

TREATMENT PROCEDURES - Survey Page 15

STATE	NON-ADJUSTIVE TECHNIQUE (CONT.)							
	Electrical stimulation	Foot orthotics or heel lifts	Homeopathic remedies	Hot pack/ moist heat	Ice pack/ cryotherapy	Infrared	Interferential current	Massage therapy
Alabama	79.4	80.4	39.2	81.4	94.1	28.4	51.0	64.7
Alaska	65.4	92.3	50.0	88.5	100.0	21.2	38.5	86.5
Arizona	77.0	77.2	41.6	79.2	98.0	21.8	33.7	84.2
Arkansas	86.7	82.4	41.8	75.8	93.4	26.4	50.5	63.7
California	75.6	80.8	42.9	83.5	95.1	25.9	36.2	87.1
Colorado	79.6	88.9	52.8	71.3	98.1	19.4	48.1	88.0
Connecticut	89.3	86.4	27.2	81.6	92.2	14.6	37.9	85.4
Delaware	65.6	78.8	45.5	75.8	93.9	18.2	48.5	81.8
D.C.	37.5	85.7	14.3	71.4	100.0	0	28.6	71.4
Florida	92.3	79.0	35.7	83.2	96.5	23.8	46.9	81.1
Georgia	65.1	75.6	38.4	74.4	93.0	11.6	25.6	69.8
Hawaii	72.5	67.6	32.4	85.3	94.1	14.7	47.1	91.2
Idaho	81.8	95.5	46.6	75.0	97.7	40.9	46.6	81.8
Illinois	87.9	88.0	38.0	80.6	95.4	13.9	50.0	71.3
Indiana	79.4	83.2	41.1	74.8	91.6	13.1	39.3	68.2
Iowa	73.9	91.2	29.4	80.9	97.1	25.0	39.7	63.2
Kansas	83.2	86.5	35.4	71.9	93.8	20.8	50.0	60.4
Kentucky	83.3	75.0	33.3	82.1	91.7	25.0	44.0	63.1
Louisiana	85.1	75.0	34.1	87.5	90.9	27.3	36.4	75.0
Maine	81.4	84.5	44.8	81.0	96.6	13.8	31.0	63.8
Maryland	88.8	83.3	32.2	82.2	93.3	16.7	41.1	67.8
Massachusetts	71.8	79.8	28.2	75.8	99.2	4.8	41.9	74.2
Michigan	18.7	77.3	37.3	68.2	92.7	16.4	2.7	64.5
Minnesota	86.4	91.2	41.6	81.6	98.4	32.0	27.2	84.8
Mississippi	64.4	71.2	21.9	67.1	93.2	24.7	43.8	67.1
Missouri	74.0	82.0	35.0	74.0	89.0	20.0	40.0	66.0
Montana	75.0	90.9	37.7	81.8	97.4	40.3	28.6	77.9
Nebraska	68.7	91.0	40.0	71.0	98.0	16.0	56.0	66.0
Nevada	87.8	86.6	46.3	90.2	97.6	25.6	46.3	85.4
New Hampshire	60.3	75.3	38.4	80.8	95.9	5.5	41.1	74.0
New Jersey	79.0	65.5	25.9	85.3	94.0	12.1	31.9	65.5
New Mexico	68.2	77.9	60.5	74.4	94.2	20.9	26.7	70.9
New York	77.0	77.1	35.7	80.0	90.7	6.4	36.4	62.9
North Carolina	91.1	88.4	41.1	86.6	98.2	30.4	36.6	54.5
North Dakota	74.7	79.7	55.7	62.0	98.7	15.2	24.1	73.4
Ohio	82.1	83.8	38.5	84.6	96.6	23.9	47.0	71.8
Oklahoma	91.8	87.7	52.1	80.8	93.2	21.9	53.4	72.6
Oregon	75.5	88.7	35.8	83.0	96.2	29.2	35.8	93.4
Pennsylvania	74.0	76.8	38.9	81.1	88.4	14.7	42.1	73.7
Rhode Island	81.3	87.8	32.7	77.6	87.8	18.4	40.8	73.5
South Carolina	63.0	59.5	32.9	73.4	93.7	10.1	32.9	63.3
South Dakota	79.6	96.8	48.4	86.0	96.8	38.7	30.1	77.4
Tennessee	84.9	76.9	36.8	78.6	98.3	11.1	48.7	72.6
Texas	83.2	82.0	43.0	85.0	98.0	29.0	47.0	76.0
Utah	87.7	84.9	63.0	83.6	97.3	31.5	42.5	86.3
Vermont	70.7	92.7	56.1	75.6	97.6	9.8	39.0	75.6
Virginia	87.6	86.7	34.5	78.8	96.5	8.8	39.8	74.3
Washington	7.0	80.2	15.3	69.4	89.2	10.8	3.6	73.0
West Virginia	81.5	89.2	38.5	73.8	96.9	15.4	36.9	63.1
Wisconsin	40.7	87.2	33.3	74.4	94.0	16.2	35.0	64.1
Wyoming	61.4	88.6	50.0	79.5	93.2	34.1	34.1	72.7
NATIONAL AVERAGES (%)	74.9	82.4	38.8	79.0	95.0	20.2	38.4	73.5
	73.2	79.2	36.9	78.5	92.6	19.0	36.7	73.0

TREATMENT PROCEDURES - Survey Page 15

STATE	NON-ADJUSTIVE TECHNIQUE (CONT.)								Number Reporting
	Nutritional counseling	Paraffin bath	Traction	Ultrasound	Ultraviolet therapy	Vibratory therapy	Whirlpool or hydrotherapy	Other	
Alabama	87.3	4.9	77.5	82.9	4.9	67.1	11.0	7.3	82
Alaska	96.2	1.9	84.6	85.7	0	52.4	14.3	16.7	42
Arizona	92.1	4.0	80.2	88.9	2.5	65.4	16.0	9.9	81
Arkansas	95.6	8.8	83.5	92.4	7.6	68.4	12.7	13.9	79
California	84.8	8.9	77.7	93.3	4.6	51.3	22.6	12.8	195
Colorado	93.5	2.8	87.0	87.5	3.4	54.5	18.2	14.8	88
Connecticut	90.3	11.7	73.8	95.7	0	36.6	11.8	14.0	93
Delaware	84.8	3.0	57.6	59.3	3.7	55.6	22.2	14.8	27
D.C.	28.6	0	42.9	75.0	0	25.0	0	0	4
Florida	89.5	16.1	80.4	92.0	.8	51.2	21.6	10.4	125
Georgia	79.1	5.8	76.7	60.3	1.6	63.5	6.3	11.1	63
Hawaii	82.4	0	86.8	84.9	1.9	37.7	15.1	9.4	53
Idaho	92.0	3.4	84.1	94.8	15.6	67.5	15.6	15.6	77
Illinois	93.5	9.3	66.7	92.7	6.3	49.0	13.5	8.3	96
Indiana	86.0	7.5	69.2	89.7	4.6	52.9	11.5	17.2	87
Iowa	92.6	5.9	60.3	90.9	5.5	43.6	20.0	12.7	55
Kansas	91.7	6.3	61.5	94.3	2.3	60.2	15.9	8.0	88
Kentucky	85.7	3.6	67.9	84.7	9.7	72.2	16.7	6.9	72
Louisiana	83.0	6.8	78.4	80.0	2.5	66.3	10.0	8.8	80
Maine	94.8	3.4	58.6	98.1	1.9	36.5	7.7	9.6	52
Maryland	86.7	10.0	82.2	96.3	12.2	46.3	11.0	15.9	82
Massachusetts	81.5	2.4	61.3	87.1	1.0	28.7	10.9	20.8	101
Michigan	83.6	1.8	76.4	32.1	5.4	78.6	17.9	7.1	56
Minnesota	93.6	4.0	84.8	94.6	2.7	46.8	12.6	9.0	111
Mississippi	41.1	4.1	76.7	39.7	0	87.9	12.1	1.7	58
Missouri	90.0	8.0	72.0	92.6	4.9	54.3	11.1	7.4	81
Montana	87.0	1.3	74.0	94.1	4.4	58.8	19.1	7.4	68
Nebraska	94.0	7.0	61.0	83.1	1.3	51.9	13.0	6.5	77
Nevada	90.2	8.5	82.9	92.0	8.0	60.0	17.3	20.0	75
New Hampshire	83.6	2.7	64.4	78.2	0	63.6	12.7	18.2	55
New Jersey	62.9	6.9	75.0	93.3	1.1	43.3	11.1	13.3	90
New Mexico	91.9	3.5	74.4	78.1	2.7	57.5	17.8	26.0	73
New York	83.6	8.6	67.9	87.7	.9	40.4	14.0	13.2	114
North Carolina	90.2	13.4	84.8	94.7	12.8	46.8	10.6	12.8	94
North Dakota	97.5	3.8	63.3	90.3	5.6	43.1	12.5	5.6	72
Ohio	88.0	9.4	71.8	92.8	6.2	47.4	15.5	7.2	97
Oklahoma	93.2	5.5	84.9	86.8	10.3	76.5	7.4	11.8	68
Oregon	95.3	1.9	78.3	95.6	8.9	50.0	22.2	17.8	90
Pennsylvania	73.7	4.2	76.8	85.3	5.3	52.0	14.7	9.3	75
Rhode Island	85.7	4.1	69.4	92.9	2.4	28.6	21.4	7.1	42
South Carolina	72.2	2.5	67.1	66.7	0	52.1	12.5	16.7	48
South Dakota	91.4	5.4	78.5	94.2	3.5	53.5	20.9	7.0	86
Tennessee	86.3	4.3	76.1	88.9	1.0	50.5	8.1	7.1	99
Texas	92.0	5.0	83.0	84.9	8.6	72.0	19.4	15.1	93
Utah	91.8	8.2	91.8	90.0	5.0	80.0	16.7	5.0	60
Vermont	82.9	9.8	70.7	81.3	6.3	40.6	12.5	9.4	32
Virginia	88.5	11.5	76.1	91.0	2.2	39.3	6.7	14.6	89
Washington	72.1	2.7	62.2	17.4	6.5	65.2	19.6	30.4	46
West Virginia	93.8	7.7	67.7	84.9	3.8	54.7	15.1	15.1	53
Wisconsin	92.3	1.7	64.1	47.9	1.4	71.8	12.7	12.7	71
Wyoming	81.8	9.1	70.5	86.8	5.3	52.6	15.8	5.3	38
NATIONAL AVERAGES (%)	86.6	6.2	74.4	85.7	4.4	54.3	14.6	11.9	UNWEIGHED
	83.5	6.9	73.2	68.8	3.3	42.0	12.7	9.6	